

**vinci
play**





About us

Vinci Play is a company bringing happiness to children all around the world.

We design, manufacture and install fully safe, aesthetically pleasing and extremely attractive playgrounds. We root for beautiful and imaginative design that stimulates the child's unbridled curiosity while encouraging kids to have fun together. Nearly as many as 80 million girls and boys play joyfully on the Vinci Play devices in over 50 countries around the globe. Such a vast number of parents have placed their trust in us because every day we strive to give children what they need so much – some carefree fun in a safe and friendly environment, while our customers can enjoy extremely durable, top-quality equipment covered by an unrivalled 30- year warranty. Our professional attitude makes us a reliable business partner for those companies and institutions that are looking for a competent playground manufacturer

Our two factories equipped with the most modern equipment, including welding robots, 3d and 2d lasers and many other devices are enabling efficient and effective completion of orders. We employ over 250 people from all over the world, and we all have one goal: witness children's joy in a safe, inspiring and fabulously colourful environment.

Watch movie:



What makes us unique

Advanced production processes

From the design, through production, all the way to shipping, the highest quality and safety of the playground are our priorities at every step of the way. In the production process, we implement only certified materials, and the multi-stage quality control system ensures that all equipment components that leave our production line meet stringent safety norms. We employ top specialists in their field who ensure a high standard of our products, reliable customer service and professional maintenance service of the equipment. Our modern machine park and advanced production organisation facilitate 4-week order processing. We also offer products with a 7 and 14-days production time and goods that are available directly from the warehouse.

We are proud to offer children, their parents and guardians the guarantee of carefree fun and relaxation on the playground, thanks to the strict safety procedures and quality standards implemented within our company.



Customer service

Our Customer Service department operates guided by the highest standards of cooperation, confirmed by the ISO 9001: 2015 certificate. The employees of this department endeavour to respond to inquiries addressed to the company within the shortest time possible while meeting the expectations of even the most demanding buyers. We guarantee cooperation based on the understanding of the customer's needs and offer full support at every stage of the contract execution, during the warranty period and afterwards.



Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from properly managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



Standards and safety

Children's safety is of the utmost importance to us, which is why all Vinci Play equipment complies with the EN 1176 European standard. The products also hold the TÜV Rheinland or TÜV SÜD certificate, which confirms their safety and high quality. Our high-end specialists support the Customer during the playground planning process to guarantee the compliance of the project with the applicable EU safety standards.



Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.




Laser steel cutting

The LC5 laser, which is the most modern integrated system for cutting profiles and metal sheets, enables optimal metal processing parameters, allowing to obtain the best results in the shortest time.



Welding robots

Welding robots working on matrices built especially for our needs. They increase efficiency thanks to the possibility of carrying out welding processes in a continuous manner. The quality of welding connections is at the highest level thanks to the use of the latest CMT technology. All robots work on high-class welding machines.



Steel welding

Our products are characterised by the highest quality of welds and a precise finish, which guarantees safe use and durability of our playground equipment. A team of highly-qualified welders, supported by cutting-edge welding robots, ensures the finest quality connections of the steel components.



Abrasive treatment (shot blasting)

The steel used to manufacture the Vinci Play playground equipment is subjected to a shotblasting cleaning process which allows us to obtain the proper surface, as well as even welds and edges. This ensures better paint adhesion, thus making the product even safer, more durable and even more aesthetically pleasing. We use professional shot-blasting chambers to process elements of different sizes. For hot-dip galvanised steel, we use electrocorundum shot blasting, and in the case of carbon steel, we employ shot blasting using broken cast steel shot.



Powder coating

Our products are aesthetically pleasing and are available in a wide range of colours thanks to the modern powder coating line. We use the highest quality, child-safe paints which hold the QUALICOAT certificate. Our powder coating process complies with strict standards for the temperature of paint heating, coating thickness and adhesion of the paint to steel elements.



Welding of stainless steel tubes

The entire production process of stainless steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds. At Vinci Play, we implement high-quality AISI 304 and AISI 316 stainless steel.



Galvanisation

We always galvanise steel components before applying powder paint. Galvanisation offers effective protection of the metal surface against corrosion caused by atmospheric conditions. We use two types of galvanisation: powder and hot-dip. We store metal components galvanised with the help of both techniques, as this allows us to swiftly process orders of our customers.



Processing ropes

We use the highest quality 16mm-thick steel ropes with polypropylene or nylon braiding for the manufacturing of climbing equipment and components, as well as for bridges and interlaces. We link them with durable fasteners made of plastic, stainless steel or aluminium. The rope elements are dimensioned, cut to the appropriate length, and then connected using hydraulic presses with a pressure of 150 tons.



CNC

We purchase the HDPE and HPL sheets that we use for the production of our equipment from leading manufacturers around the world. This ensures that we use components of the highest quality. The plates are machined using CNC milling plotters which guarantee precise cutting and milling. The desired shapes and millings – compatible with even the most complicated design requirements – are characterised by their high aesthetic and educational values and at the same time meet the highest standards of safe use.



Robinia cutting and milling

The 5-axis Robinia acacia wood cutting and milling machine is an excellent tool for precise execution of even the most complex details. Complemented by meticulous manual work in surface grinding, allows us to achieve the best results for production of the Robinia series.







Hand made finish

Our experienced carpenters passionately process and finish all wooden elements by hand, and each piece of equipment is built individually. The process is complemented by modern 5D machining centres, which precisely prepare repeatable details. This way, we produce the highest quality elements, fast order fulfilment, and high production efficiency.



Wood processing

CNC saws and industrial robots precisely cut and machine the wood used for the production of wooden parts of our playground equipment. Chamfering of the wood removes any sharp edges, and four-sided surface sanding prepares the wood for the impregnation process. The high quality of wooden elements guarantees the safety of the equipment, and the automation of the process ensures short manufacturing time and fast order realization.



Wood painting

For the production of our wooden equipment, we use pine wood which has been glued together in plies under pressure. The process of machining square timbers, which entails sanding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, which guarantees long-term durability of the wooden parts of our equipment and makes them resistant to weather conditions.

Materials and components

At Vinci Play, we believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain. Ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European plantations that are FSC® certified and other controlled sources.



Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honey-comb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PFEC-certified.



HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PFEC-certified.



Polycarbonate (PC)

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).



PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



Chains

Certified AISI 304 and AISI 316 stainless steel chains.



Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.



Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

Selected warranty periods:



30 year guarantee

Structural strength of steel and stainless steel components



15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment; structural elements made of Robinia wood



10 year guarantee

Structural failure of high density polyethylene and high pressure laminate components



5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

More information on other warranty periods for selected parameters - available on request in the Guarantee Card.





Design your playground!

Design a functional and safe playground with the 3D Planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

**WATCH
VIDEO!**




1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.

2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.



3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.



4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.



5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

What's new?

Over 100 brand-new and attractive playground structures await children this season. New products are distinguished by their unique design and modern functionalities. These safe, fun-inspiring tower constructions and themed products stimulate the imagination and are sure to provide both younger and older children with hours of carefree fun.



High towers

Towers reaching up to 9,5 m, connected by bridges, with a whole range of fun and activity elements, with stainless steel tube slides, enabling joyful play for children of all ages.



Robinia series

Robinia series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. Products, enriched with slides, handrails and ladders made of stainless steel, and elements made of HPL plates in subdued colours are an excellent extension of the offer enabling the design of a natural and elegant playground.





Thematic series

The new CASTILLO, JUNGLE and the SPACE series are high towers and multifunctional sets with motifs and printed polycarbonate referring to the times of chivalry, jungle and space exploration. Made of the highest quality materials, enabling children to have fun at any age.



Role playing devices

A lighthouse with a height of 7 m, station with fire engine or train station are devices that allow you to create a themed playground providing unlimited number of roles to play. Wooden structures based on systems known from the WOODEN series, enriched with durable PE tube slides.



Complementary devices

The individual Vinci Play series are characterized by separate colour, material, motif and form. We have prepared classic devices, incl. swings, carousels, spring riders and sandboxes to complement each of the series.



Inclusive devices

Carousels and swings designed for easy and safe use for people who move independently in a wheelchair and for joint integration fun for everyone, without age and fitness restrictions.



Robinia Fitness



Movable equipment

Carousels, swings (including see-saws), spring riders and outdoor gym equipment based on articulated systems or closed bearings which do not require maintenance. Equipment, which allows physical activity, makes playground more attractive, allowing development of many skills while bringing a lot of joy.



Jumpoo series

Durable outdoor trampolines encouraging activity, made of the highest quality materials. Jumping on the trampolines strengthens muscles, has a positive effect on motor coordination, and at the same time enables unrestricted fun.



Fitness series

The Fitness series was created with wellness in mind, encouraging to train and lead a healthy lifestyle. The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



Workout series

A series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body. Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.



Arena series

Multifunctional sports fields with a modular construction, based on galvanised steel profiles and panels available in several material options, consisting of goals of various sizes, basketball baskets, will encourage children of all ages to spend time outdoors and compete in sports.

Walk in the clouds!

The 9,5 m high towers, with challenging bridges, activity elements and tube slides stimulate the imagination and enable inspiring fun. Towers with a theme referring to fairy tales and stories about castles, knights, princesses and dragons. They allow for fun and role play.



High towers



Castillo 3040-1
9,5m tower



Castillo 3030-1
6,5m tower



Castillo 3027-1
5m tower

Choose how many you want!

The offer includes tower sets consisting of two, three or even six towers, so it is possible to adjust the offer to the size of the investment. The connecting elements are strong bridges made of the highest quality ropes, fasteners and stainless steel bars, providing a thrill and at the same time increasing the fun.



Castillo 3060-1

The set includes: 5m + 6,5m + 9,5m towers



Castillo 3031-1

The set includes: 5m + 6,5m towers



Castillo 3045-1

The set includes: 5m + 6,5m + 9,5m towers

Combined modules



Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.



**New
series!**

**Produced
from natural
raw material**

**See Robinia
catalogue!**



**Moving and
educational
elements**

**Robinia
wood**

**Stainless steel
elements**

**Stainless steel
slides**



Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD. In addition, our production plants undergo periodic control audits by independent certification bodies.



Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



Durable metal parts

In order to guarantee the highest quality and long-term use of the Robinia series, we have supplemented it with bars, slides, and other construction elements in stainless steel and hot-dip galvanised steel.



High-quality ropes

We use galvanised steel ropes sheathed in polypropylene braid in the production of climbing elements. The fitted aluminum rope connections, and safe, calibrated, stainless steel chains, ensure the reliability of solutions and safety of use.



Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.

Arena, let's play!

The Arena is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



**New
series!**

**Products available
in the first quarter of 2022**





Inclusive playground



1 SPRING 0630 p. 108

2 WOODEN WD1506 p. 54

3 HOOP 0712 p. 124

4 SOLO WD1443 p. 66

5 CLIMBOO 0499 p. 96

6 SPRING 0671 p. 109

7 SWING ST1494 p. 116



- 8 SWING ST0509 p. 121
- 9 SPRING 0608-2 p. 106
- 10 STEEL+ 1726 p. 43

- 11 HOOP 0728 p. 122
- 12 SWING ST0531 p. 113

- 13 PARK 0926 p. 180
- 14 PARK 0905-1 p. 181

Natural playground



- 1 ROBINIA RB1392 p. 156
- 2 ROBINIA RB1272 p. 139
- 3 ROBINIA RB1319 p. 142

- 4 ROBINIA RB1385 p. 155
- 5 ROBINIA RB1277 p. 141

- 6 ROBINIA RB1369 p. 148
- 7 ROBINIA RB1362 p. 148



8 ROBINIA RB1260 p. 137

9 ROBINIA RB1332 p. 145

10 ROBINIA RB1217 p. 131

11 ROBINIA RB1492 p. 153

12 ROBINIA RB1203 p. 126

13 ROBINIA RB1253 p. 137

Thematic playground



1 SWING ST0522 p. 112

2 CASTILLO 3001-1 p. 36

3 CLIMBOO 0419-1 p. 99

4 CASTILLO 3028-1 p. 36

5 SWING ST1494 p. 116

6 SPRING 0651 p. 106



7 CASTILLO 3080 p. 41

8 SOLO WP2807 p. 76

9 SPRING 0623 p. 107

10 SOLO 0802-1 p. 68

11 HOOP 0703-1 p. 122

jungle

Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are real fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



3231



3240

New series!



3230



3227

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction					Panels	
											steel	inox	wood	HDPE	HPL		
3231		1154 cm	810 cm	656 cm	4 - 14	86	90,0 m²	270 cm	90, 210 cm	360 cm			-			-	
3240		1051 cm	796 cm	950 cm	4 - 14	105	77,6 m²	270 cm	180, 210 cm	570 cm			-			-	
3230		742 cm	554 cm	656 cm	4 - 14	46	51,5 m²	270 cm	150 cm	360 cm			-			-	
3227		530 cm	369 cm	505 cm	4 - 14	38	43,1 m²	270 cm	90, 120 cm	-			-			-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDP	HPL
3241		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m²	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m²	270 m	90,180, 210 cm	360, 570 cm			-		-
3260		2046 cm	1995 cm	950 cm	4 - 14	342	248,8 m²	270 cm	90, 180, 210 cm	240, 360, 570 cm			-		-

Characteristics of the JUNGLE series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops

Colour & material options*:

- Construction:

 - Painted steel RAL1011
 - Stainless steel
- Slides:

 - Stainless steel
 - Fiberglass
- Tubes:

 - Stainless steel
 - PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

space

Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427



3430




3431

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3427		530 cm	369 cm	505 cm	4 - 14	38	43,1 m²	270 cm	90, 210 cm	-			-		-
3430		742 cm	554 cm	656 cm	4 - 14	46	51,5 m²	270 cm	150 cm	360 cm			-		-
3431		1154 cm	810 cm	656 cm	4 - 14	86	90,0 m²	270 cm	90, 210 cm	360 cm			-		-





3440



3441



New series!



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction					Panels	
											steel	inox	wood	HDPE	HPL		
3440		1051 cm	796 cm	950 cm	4 - 14	105	77,6 m²	270 cm	180, 210 cm	570 cm			-		-		
3441		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m²	270 cm	150, 180, 210 cm	360, 570 cm			-		-		
3445		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m²	270 cm	90, 180, 210 cm	360, 570 cm			-		-		



3460

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
3460	2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m²	270 cm	90, 180, 210 cm	240, 360, 570 cm	● ● - ● -	● ● - ● -

Characteristics of the SPACE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops

Colour & material options*:



Construction:

- Painted steel RAL5000
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

castillo

Explore a new theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.

New series!



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction					Panels	
											steel	inox	wood	HDPE	HPL		
3028-1	●	821 cm	733 cm	505 cm	4 - 14	38	63,4 m ²	270 m	90, 120 cm	240 cm	●	●	-	●	-		
3040-1	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm	●	●	-	●	-		
3001-1	●	344 cm	212 cm	285 cm	1 - 8	11	25,5 m ²	< 60 cm	-	-	●	●	-	●	-		
3002-1	●	278 cm	170 cm	376 cm	3 - 14	7	21,1 m ²	120 cm	120 cm	-	●	●	-	●	-		
3003-1	●	388 cm	300cm	345 cm	3 - 14	19	32,2 m ²	200 cm	90 cm	-	●	●	-	●	-		
3004-1	●	565 cm	166 cm	376 cm	3 - 14	17	33,4 m ²	150 m	120 cm	-	●	●	-	●	-		



3027-1



3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels
											steel	inox	wood	HDPE	HPL
3027-1		530 cm	369 cm	505 cm	4 - 14	38	43,1 m²	270 m	90, 210 cm	-			-		-
3030-1		742 cm	554 cm	656 cm	4 - 14	46	51,5 m²	270 m	150	360 cm			-		-





3029-1



3041-1



3045-1




3031-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3029-1		1191 cm	1072 cm	505 cm	4 - 14	101	134,6 m ²	240 cm	90, 120, 150 cm	240 cm			-		-
3041-1		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3031-1		1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 m	90, 210 cm	360 cm			-		-
3045-1		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 m	90,180, 210 cm	360, 570 cm			-		-




3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels	
											steel	inox	wood	HPL
3060-1		2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m²	270 cm	90, 180, 210 cm	240, 360, 570 cm			-	 -



SEE MORE!



3080

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction					Panels	
											steel	inox	wood	HDPE	HPL		
3080	●	1195 cm	603 cm	640 cm	4 - 14	87	101,2 m ²	270 cm	120, 150 cm	180 cm	●	●	-	●	-		

Characteristics of the CASTILLO series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Construction:

- Painted steel RAL7016
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

steel+

Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.



1723



1702



1709


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
1723		313 cm	283 cm	206 cm	1 - 8	13	25,3 m ²	70 cm	-	-			-	   	-
1702		278 cm	226 cm	313 cm	1 - 8	9	23,9 m ²	120 cm	120 cm	-			-	   	-
1709		521 cm	364 cm	373 cm	3 - 14	27	44,6 m ²	180 cm	150, 180 cm	-			-	   	-



1701



1724



1726

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants		
											steel	inox	wood	HDPE	HPL	
1701		224 cm	234 cm	286 cm	1 - 8	9	22,2 m ²	90 cm	90 cm	-			-			-
1724		323 cm	310 cm	283 cm	1 - 8	14	30,5 m ²	90 cm	90 cm	-			-			-
1726		642 cm	525 cm	231 cm	1 - 8	38	53,1 m ²	99 cm	-	-			-			-



1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels variants		
											steel	inox	wood	HDPE	HPL
1703		475 cm	217 cm	343 cm	3-14	12	31,7 m²	200 cm	150 cm	-			-	   	-
1704		367 cm	304 cm	313 cm	3 - 14	9	31,5 m²	220 cm	120 cm	-			-	   	-
1705		363 cm	503 cm	313 cm	3 - 14	11	40,6 m²	200 cm	120 cm	-			-	   	-



1706



1717



1707



1708



1710



1712



1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants		
											steel	inox	wood	HDPE	HPL	
1706		499 cm	461 cm	316 cm	3 - 14	13	41,4 m²	200 cm	120 cm	-			-	      	-	
1717		332 cm	252 cm	316 cm	3 - 14	11	29,3 m²	200 cm	-	-			-	      	-	
1707		349 cm	334 cm	343 cm	3 - 14	15	31,0 m²	150 cm	150 cm	-			-	      	-	
1708		400 cm	356 cm	373 cm	3 - 14	24	40,5 m²	220 cm	150 cm	-			-	      	-	
1710		451 cm	395 cm	343 cm	3 - 14	29	45,1 m²	200 cm	90, 150 cm	-			-	      	-	
1712		568 cm	396 cm	373 cm	3 - 14	31	52,1 m²	220 cm	180 cm	-			-	      	-	
1711		702 cm	338 cm	373 cm	3 - 14	32	55,1 m²	200 cm	90, 180 cm	-			-	      	-	
1713		606 cm	365 cm	343 cm	3 - 14	45	55,8 m²	220 cm	-	-			-	      	-	



1727

1728

1730-1

New!



1731

1740

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
1727	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m ²	270 cm	90, 210 cm	-	●	●	-	● ● ● ● ●	-
1728	●	821 cm	733 cm	505 cm	4 - 14	38	63,4 m ²	270 cm	90, 120 cm	240 cm	●	●	-	● ● ● ● ●	-
1730-1	●	742 cm	554 cm	656 cm	4 - 14	47	51,5 m ²	270 cm	150 cm	360 cm	●	●	-	● ● ● ● ●	-
1731	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 cm	90, 210 cm	360 cm	●	●	-	● ● ● ● ●	-
1740	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm	●	●	-	● ● ● ● ●	-



1741



1745



1790

New!



SEE MORE!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants		
											steel	inox	wood	HDPE	HPL	
1741		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm			-			-
1745		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 cm	90, 180, 210 cm	360, 570 cm			-			-
1790		2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m ²	270 cm	90, 180, 210 cm	240, 360, 570 cm			-			-





1736



SEE MORE!

New!



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE HPL
1736	●	498 cm	324 cm	286 cm	3 - 14	24	37,9 m ²	90 cm	90 cm	-	● ● -	● ● ● ● ● -
1780	●	1195 cm	603 cm	640 cm	4 - 14	87	101,2 m ²	270 cm	120, 150 cm	180 cm	● ● -	● ● ● ● ● -

Characteristics of the STEEL+ series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

● HDPE - RAL6024 ● HDPE - RAL3020 ● C11E HDPE - multicolour
● HDPE - RAL5015 ● HDPE - RAL8024



Construction:

● Painted steel RAL 7040
● Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

topicco

Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.



WD1534



WD1541



WD1542

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants	
												HDPE	HPL
WD1534		742 cm	343 cm	635 cm	1 - 8	39	45,5 m ²	< 60 cm	-	180, 330 cm	- - ●		-
WD1541		506 cm	304 cm	403 cm	1 - 8	22	37,9 m ²	< 60 cm	59 cm	210 cm	- - ●		-
WD1542		857 cm	807 cm	403 cm	1 - 8	54	80,3 m ²	210 cm	59 cm	210 cm	- - ●		-



3101



3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE HPL	
3101		346 cm	268 cm	202 cm	3 - 12	13	27,9 m²	90 cm	-	-	 - -	 -	-
3102		439 cm	207 cm	202 cm	3 - 12	15	29,2 m²	90 cm	-	-	 - -	 -	-
3103		296 cm	268 cm	200 cm	3 - 12	14	25,9 m²	90 cm	-	-	 - -	 -	-
3104		298 cm	268 cm	206 cm	3 - 12	14	26,2 m²	90 cm	-	-	 - -	 -	-

Characteristics of the TOPICCO series:

 Wood construction	 Galvanised anchors	 Galvanised steel construction or elements	 Stainless steel elements	 HPL HEXA platforms	 HDPE panels
 Polycarbonate (PC) panels	 UV printed PC panels	 Stainless steel slides	 PE tube slides	 Durable connectors	 PP tunnels

Colour & material options*:

 Anti-slip and waterproof platforms:	 Slides:	 Tubes:	 Anchoring:
- HEXA HPL	- Stainless steel	- PE	- Surface
- HEXA plywood	- Fiberglass	- Stainless steel	- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

wooden

Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401




WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants				
											steel	inox	wood	HDPE	HPL					
WD1503		342 cm	336 cm	247 cm	1 - 8	25	33,8 m ²	<60 cm	60 cm	35, 59 cm	-	-	wood							
WD1403		204 cm	139 cm	170 cm	3 - 14	7	18,8 m ²	90 cm	90 cm	90 cm	-	-	wood							
WD1437		349 cm	174 cm	103 cm	1 - 8	15	27,3 m ²	<60 cm	-	-	-	-	wood							
WD1401		97 cm	96 cm	139 cm	1 - 8	4	13,8 m ²	60 cm	-	-	-	-	wood							
WD1402		166 cm	99 cm	191 cm	1 - 8	6	15,6 m ²	<60 cm	-	35 cm	-	-	wood							
WD1407		259 cm	266 cm	277 cm	3 - 14	13	27,3 m ²	90 cm	90 cm	90 cm	-	-	wood							





WD1505



WD1501



WD1506



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants	
											steel	inox	wood	HDPE	HPL		
WD1505		652 cm	555 cm	277 cm	1 - 8	58	60,8 m ²	90 cm	90 cm	35, 40, 59, 90 cm	-	-	wood				
WD1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m ²	90 cm	90 cm	40, 90 cm	-	-	wood				
WD1506		821 cm	811 cm	277 cm	1 - 8	90	94,5 m ²	90 cm	60, 90 cm	35, 40, 59, 90 cm	-	-	wood				



WD1434



WD1436



WD1504



WD1502

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants				
											steel	inox	wood	HDPE	HPL					
WD1434		210 cm	144 cm	280 cm	1 - 8	7	19,2 m ²	90 cm	90 cm	59, 90 cm	-	-	wood							
WD1436	-	358 cm	311 cm	277 cm	1 - 8	14	30,2 m ²	90 cm	60, 90 cm	59, 90 cm	-	-	wood							
WD1504		440 cm	451 cm	367 cm	3 - 14	29	43,4 m ²	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	wood							
WD1502		247 cm	213 cm	307 cm	1 - 8	11	22,9 m ²	120 cm	120 cm	120 cm	-	-	wood							



WD1408



WD1406



WD1404



WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants				
											steel	inox	wood	HDPE	HPL					
WD1408		364 cm	288 cm	307 cm	3 - 14	13	31,1 m ²	120 cm	120 cm	90, 120 cm	-	-	wood							
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m ²	120 cm	90, 120 cm	90, 120 cm	-	-	wood							
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m ²	120 cm	120 cm	120 cm	-	-	wood							
WD1405		328 cm	245 cm	337 cm	3 - 14	13	26,4 m ²	150 cm	150 cm	150 cm	-	-	wood							
WD1438		328 cm	474 cm	307 cm	3 - 14	12	38,1 m ²	130 cm	120 cm	120 cm	-	-	wood							



WD1409



WD1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HPL
WD1409	-	456 cm	354 cm	337 cm	3 - 14	19	37,9 m ²	190 cm	150 cm	90, 150 cm	-	-		   
WD1410	-	402 cm	330 cm	367 cm	3 - 14	23	40,7 m ²	220 cm	150 cm	150, 180 cm	-	-		   



WD1449



WD1412



WD1411



WD1454




WD1413



WD1450


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HPL
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m ²	220 cm	-	120, 150, 180 cm	-	-	wood	● ● ● ● ●
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m ²	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	wood	● ● ● ● ●
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m ²	180 cm	150 cm	120, 150, 180 cm	-	-	wood	● ● ● ● ●
WD1454	-	908 cm	400 cm	407 cm	3 - 14	30	55,1 m ²	210 cm	210 cm	120, 150, 180, 210 cm	-	-	wood	● ● ● ● ●
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m ²	220 cm	-	120, 150, 180 cm	-	-	wood	● ● ● ● ●
WD1450	●	527 cm	502 cm	230 cm	7 - 16	31	44,9 m ²	220 cm	120, 150 cm	120, 150 cm	-	-	wood	● ● ● ● ●



WD1439



WD1452



WD1453



WD1451

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants				
											steel	inox	wood	HDPE	HPL					
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m ²	220 cm	-	120, 150 cm	-	-	wood							
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	46,5 m ²	250 cm	-	150, 180 cm	-	-	wood							
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m ²	200 cm	-	150 cm	-	-	wood							
WD1451	-	425 cm	205 cm	260 cm	7 - 16	14	33,2 m ²	250 cm	-	150, 180 cm	-	-	wood							



WD1415



WD1414



WD1433

New!




WD1580



WD1581



SEE MORE!



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants				
											steel	inox	wood	HDPE	HPL					
WD1433	●	294 cm	273 cm	248 cm	1 - 8	14	24,7 m ²	<60 cm	60 cm	35, 59 cm	-	-	●	●	●	●	●	●	●	●
WD1414	●	391 cm	326 cm	260 cm	3 - 14	21	31,1 m ²	90 cm	90 cm	90 cm	-	-	●	●	●	●	●	●	●	●
WD1415	●	613 cm	387 cm	290 cm	3 - 14	34	47,5 m ²	120 cm	90, 120 cm	90, 120 cm	-	-	●	●	●	●	●	●	●	●
WD1580	●	1280 cm	735 cm	486 cm	3 - 14	82	96,9 m ²	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●	●	●	●	●	●	●
WD1581	●	1097 cm	424 cm	486 cm	3 - 14	52	69,4 m ²	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●	●	●	●	●	●	●
WD1418-1	●	1575 cm	782 cm	486 cm	3 - 14	120	128,7 m ²	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●	●	●	●	●	●	●

*Height of tube slides.







WD1430



WD1431




WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
WD1430		155 cm	100 cm	120 cm	1 - 8	9	16,2 m ²	110 cm	-	-	- - wood	-
WD1431		155 cm	99 cm	120 cm	1 - 8	11	16,2 m ²	110 cm	-	-	- - wood	-
WD1432		154 cm	104 cm	120 cm	1 - 8	9	16,2 m ²	110 cm	-	-	- - wood	-
WD1550		386 cm	336 cm	260 cm	1 - 12	28	33,3 m ²	90 cm	90 cm	90, 120 cm	- - wood	-
WD1551		292 cm	220 cm	214 cm	1 - 8	12	25,3 m ²	<60 cm	60 cm	59 cm	- - wood	-
WD1552		244 cm	100 cm	184 cm	1 - 8	10	19,9 m ²	<60 cm	-	35 cm	- - wood	-

Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

Colour & material options*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C11E HDPE - multicolour
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

solo.

Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



0820



0810



0825



0811



0812




0813


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0820	●	170 cm	102 cm	103 cm	3 - 12	5	17,0 m ²	< 60 cm	●	-	-	●●●●	-
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m ²	90 cm	●	-	-	●●●●	●●●●●
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m ²	< 60 cm	●	-	-	●●●●	●●●●●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m ²	< 60 cm	●	-	-	●●●●	●●●●●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m ²	90 cm	●	-	-	●●●●	●●●●●
0813	-	143 cm	94 cm	165 cm	3 - 12	6	15,4 m ²	< 60 cm	●	-	-	●●●●	●●●●●




0824




0840



0821



0822



0841



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m ²	< 60 cm	●	-	-	●●●	-
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m ²	< 60 cm	●	-	-	●●●	-
0821	-	176 cm	52 cm	133 cm	1 - 8	3	15,0 m ²	< 60 cm	●	-	-	●●●	-
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m ²	< 60 cm	●	-	-	●●●	-
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m ²	< 60 cm	●	-	-	●	-



0830




WD1441



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction		Panels variants	
												steel	inox	wood	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m ²	< 60 cm	90 cm	135 cm	90 cm	●	-	-	● ● ● ●
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m ²	120 cm	120 cm	180 cm	120 cm	●	-	-	● ● ● ●
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m ²	150 cm	150 cm	240 cm	150 cm	●	-	-	● ● ● ●
WD1440	-	166 cm	84 cm	138 cm	1 - 8	3	15,8 m ²	< 60 cm	59 cm	88 cm	35 cm	-	-	●	● ● ● ● ●
WD1441	-	203 cm	84 cm	169 cm	1 - 8	3	16,7 m ²	< 60 cm	90 cm	135 cm	35 cm	-	-	●	● ● ● ● ●
WD1442	-	239 cm	84 cm	199 cm	3 - 14	3	17,9 m ²	< 60 cm	120 cm	180 cm	35 cm	-	-	●	● ● ● ● ●
WD1443	-	285 cm	84 cm	229 cm	3 - 14	3	19,5 m ²	< 60 cm	150 cm	240 cm	35 cm	-	-	●	● ● ● ● ●
WD1444	-	321 cm	84 cm	259 cm	3 - 14	3	20,8 m ²	< 60 cm	180 cm	285 cm	35 cm	-	-	●	● ● ● ● ●
WD1445	-	357 cm	84 cm	289 cm	3 - 14	3	22,1 m ²	< 60 cm	210 cm	330 cm	35 cm	-	-	●	● ● ● ● ●
WD1446	-	510 cm	84 cm	372 cm	3 - 14	3	26,8 m ²	< 60 cm	300 cm	513 cm	35 cm	-	-	●	● ● ● ● ●
WD1447	-	630 cm	84 cm	472 cm	3 - 14	3	31,1 m ²	< 60 cm	400 cm	670 cm	35 cm	-	-	●	● ● ● ● ●
WD1448	-	750 cm	84 cm	572 cm	3 - 14	3	35,2 m ²	< 60 cm	500 cm	826 cm	35 cm	-	-	●	● ● ● ● ●




Modular
system!




More configurations
available on www.vinci-play.com

More configurations
available on www.vinci-play.com




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m²	< 60 cm	●	-	-	●●●●●	●●●●●
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m²	< 60 cm	●	-	-	●●●●●	●●●●●
0800	●	36 cm	35 cm	35 cm	1 - 12	1	8,9 m²	< 60 cm	●	-	-	●●●●●	●●●●●
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m²	< 60 cm	-	-	●	●●●●●	●●●●●
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m²	< 60 cm	-	-	●	●●●●●	●●●●●


Modular
system!




WD1458




WD1429



More configurations
available on www.vinci-play.com



More configurations
available on www.vinci-play.com



WD1457-1



WD1455



WD1456


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m ²	< 60 cm	-	-	wood		
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m ²	<60 cm	-	-	wood		
WD1457-1	-	380 cm	207 cm	35 cm	1 - 12	11	32,5 m ²	< 60 cm	-	-	wood		-
WD1455		348 cm	171 cm	191 cm	1 - 12	23	28,6 m ²	< 60 cm	-	-	wood		
WD1456		145 cm	62 cm	170 cm	1 - 12	5	13,7 m ²	< 60 cm	-	-	wood		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1427		167 cm	94 cm	114 cm	1 - 8	5	14,5 m²	< 60 cm	-	-			
WD1467		84 cm	12 cm	130 cm	1 - 8	1	10,1 m²	< 60 cm	-	-			
WD1468		84 cm	13 cm	130 cm	1 - 8	1	10,1 m²	< 60 cm	-	-			
WD1469		84 cm	14 cm	130 cm	1 - 8	1	10,1 m²	< 60 cm	-	-			
WD1470		84 cm	11 cm	130 cm	1 - 8	1	10,0 m²	< 60 cm	-	-			
WD1471		84 cm	11 cm	130 cm	1 - 8	1	10,0 m²	< 60 cm	-	-			
WD1472		84 cm	15 cm	130 cm	1 - 8	2	10,2 m²	< 60 cm	-	-			-



WD1473



WD1474




WD1475



WD1476



WD1477



WD1478



WD1560



WD1561



WD1562



WD1563



WD1564



WD1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1473	●	84 cm	22 cm	130 cm	1 - 8	1	10,4 m ²	< 60 cm	-	-	●	●	●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m ²	< 60 cm	-	-	●	●	●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	●	●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	●	●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	●	●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m ²	< 60 cm	-	-	●	●	●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	●




0122



0120



0121



0806-1




0808-1



0809



0804




0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m ²	< 60 cm	●	●	-	●	● ● ● ●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m ²	< 60 cm	●	●	-	●	●
0121	●	80 cm	78 cm	97 cm	1 - 12	3	11,6 m ²	< 60 cm	●	●	-	●	● ● ● ●
0806-1	●	88 cm	14 cm	171 cm	3 - 12	2	10,3 m ²	< 60 cm	●	-	-	●	●
0808-1	●	35 cm	17 cm	106 cm	3 - 12	2	8,8 m ²	< 60 cm	-	●	-	●	●
0804	●	120 cm	18 cm	130 cm	3 - 12	2	11,4 m ²	< 60 cm	●	-	-	●	●
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m ²	< 60 cm	-	●	-	●	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m ²	< 60 cm	●	-	-	-	-








1760


1761

1762



1763

1770




1771



1772



1720




1722



1721

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0 m ²	< 60 cm	●	●	-	●●●●●●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m ²	< 60 cm	●	●	-	●●●●●●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0m ²	< 60 cm	●	●	-	●●●●●●	-
1763	●	91 cm	22 cm	143 cm	1 - 8	2	10,5 m ²	< 60 cm	●	●	-	●●●●●●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m ²	< 60 cm	●	●	-	●●●●●●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m ²	< 60 cm	●	●	-	●●●●●●	-
1772	●	137 cm	77 cm	206 cm	1 - 8	5	12,5 m ²	< 60 cm	●	●	-	●●●●●●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m ²	67 m	●	●	-	●●●●●●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m ²	80 cm	●	●	-	●●●●●●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m ²	< 60 cm	●	●	-	●●●●●●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WP2801	●	101 cm	19 cm	-	1 - 12	4	10,9 m ²	< 60 cm	-	●	-	-	-
WP2804	●	101 cm	19 cm	-	1 - 12	4	10,9 m ²	< 60 cm	-	●	-	-	-
WP2802	●	151 cm	19 cm	-	1 - 12	6	12,4 m ²	< 60 m	-	●	-	-	-
WP2805	●	151 cm	19 cm	-	1 - 12	6	12,5 m ²	< 60 cm	-	●	-	-	-
WP2807	●	61 cm	61 cm	-	1 - 12	5	11,1 m ²	< 60 cm	-	●	-	-	-
WP2808	●	121 cm	61 cm	-	1 - 12	7	13,3 m ²	< 60 cm	-	●	-	-	-
WP2803	●	201 cm	19 cm	-	1 - 12	8	14,0 m ²	< 60 cm	-	●	-	-	-
WP2806	●	201 cm	19 cm	-	1 - 12	8	14,1 m ²	< 60 cm	-	●	-	-	-



0816



0817



0823

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0816	-	94 cm	90 cm	59 cm	3 - 12	3	12,1 m ²	< 60 cm	●	-	-	●	● ● ● ●
0817	-	115 cm	49 cm	59 cm	3 - 12	2	12,0 m ²	< 60 cm	●	-	-	●	● ● ● ●
0823	●	395 cm	100 cm	160 cm	3 - 16	2	19,9 m ²	90 cm	-	●	-	-	-

Characteristics of the SOLO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

- C11E HDPE - multicolour
- HDPE RAL6024 / ● HPL RAL6000
- HDPE RAL5015 / HPL - ● RAL5024
- C12E HDPE - grey/black
- HDPE RAL3020 / ● HPL RAL3000
- HDPE RAL8024 / ● HPL wood pattern



Construction:

- Painted steel
- Stainless steel



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

minisweet

Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
0106-1C1		309 cm	166 cm	217 cm	1 - 8	12	23,3 m ²	< 60 cm	59 cm	12, 35, 59 cm			-			
0100C1		99 cm	97 cm	170 cm	1 - 8	3	13,9 m ²	< 60 cm	-	12 cm			-			
0103C1		252 cm	235 cm	169 cm	1 - 8	14	22,9 m ²	< 60 cm	-	12 cm			-			
0101-1C1		155 cm	98 cm	169 cm	1 - 8	7	15,4 m ²	< 60 cm	-	12 cm			-			



0108-2C2



0102C2



0107C3



0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0108-2C2		303 cm	158 cm	168 cm	1 - 8	19	24,9 m²	< 60 cm	-	-			-		
0102C2		169 cm	162 cm	169 cm	1 - 8	12	17,7 m²	< 60 cm	-	12 cm			-		
0107C3		322 cm	246 cm	216 cm	1 - 8	17	25,8 m²	< 60 cm	59 cm	12, 35, 59 cm			-		
0105C3	-	173 cm	154 cm	216 cm	1 - 8	7	18,1 m²	< 60 cm	59 cm	35, 59 cm			-		
0109-1C9	-	368 cm	315 cm	216 cm	1 - 8	21	32,9 m²	< 60 cm	59 cm	12, 35, 59 cm			-		
0104C9		216 cm	96 cm	216 cm	1 - 8	6	17,9 m²	< 60 cm	59 cm	59 cm			-		





0110



0111



0112



0114



0113

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	steel	inox	wood	HDPE	Panels	HPL
0110		257 cm	246 cm	248 cm	1 - 8	15	26,8 m²	< 60 cm	59, 90 cm	59, 90 cm				-			
0111		254 cm	199 cm	235 cm	1 - 8	11	21,7 m²	< 60 cm	59 cm	59 cm				-			
0112		257 cm	156 cm	246 cm	1 - 8	11	20,1 m²	< 60 cm	90 cm	59, 90 cm				-			
0113		407 cm	284 cm	266 cm	1 - 8	27	30,5 m²	90 cm	59 cm	59, 90 cm				-			
0114		331 cm	346 cm	245 cm	1 - 8	26	34,9 m²	90 cm	59 cm	59, 90 cm				-			

Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

-  C1 HPL - RAL6000
-  C2 HPL - RAL3000
-  C11E HDPE - multicolour
-  C3 HPL - RAL5024
-  C9 HPL - wood pattern



Construction:

-  Painted steel RAL7040
-  Stainless steel



Platforms:

-  - HEXA HPL
-  - HEXA plywood



Slides:

-  - Stainless steel
-  - Fiberglass



Anchoring:

-  - Surface
-  - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

steel!

Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



0204C9



0814C9



0815-2C9



0201-1C9



0200C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
											steel	inox	wood	HDPE	HPL			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m²	180 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0814C9	●	101 cm	97 cm	164 cm	1 - 8	4	14,0 m²	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m²	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0201-1C9	-	271 cm	165 cm	321 cm	3 - 14	5	21,5 m²	120 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m²	90 cm	90 cm	90 cm	●	-	-	●	●	●	●	●



0212C1



0202-1C1



0203-1C1



0205-1C2



0213C2



0207C2



0208C3



0209C3



0206C3

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels	
											steel	inox	wood	HPL
0212C1	-	283 cm	185 cm	291 cm	3 - 14	8	22,6 m²	90 cm	90 cm	90 cm	●	-	-	● ● ● ● ●
0202-1C1	-	345 cm	274 cm	321 cm	3 - 14	8	28,4 m²	120 cm	120 cm	120 cm	●	-	-	● ● ● ● ●
0203-1C1	-	345 cm	361 cm	321 cm	3 - 14	14	35,0 m²	120 cm	120 cm	120 cm	●	-	-	● ● ● ● ●
0205-1C2	-	542 cm	364 cm	351 cm	3 - 14	16	44,4 m²	150 cm	120, 150 cm	120, 150 cm	●	-	-	● ● ● ● ●
0213C2	-	330 cm	400 cm	291 cm	3 - 14	17	36,6 m²	90 cm	90 cm	90 cm	●	-	-	● ● ● ● ●
0207C2	-	440 cm	470 cm	321 cm	3 - 14	18	44,1 m²	120 cm	90, 120 cm	90, 120 cm	●	-	-	● ● ● ● ●
0208C3	-	495 cm	470 cm	351 cm	3 - 14	30	51,0 m²	150 cm	90, 150 cm	90, 150 cm	●	-	-	● ● ● ● ●
0209C3	●	633 cm	555 cm	351cm	3 - 14	25	59,6 m²	150 cm	120, 150 cm	120, 150 cm	●	-	-	● ● ● ● ●
0206C3	-	535 cm	457 cm	321 cm	3 - 14	23	55,9 m²	210 cm	-	120 cm	●	-	-	● ● ● ● ●





0211-1C3



0214C3



0210-1C3

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0211-1C3		1148 cm	912 cm	411 cm	3 - 14	78	160,0 m²	210 cm	90, 180, 210 cm	35, 59, 90, 120, 150, 180, 210 cm		-	-		
0214C3	-	808 cm	725 cm	321 cm	3 - 14	45	90,4 m²	210 cm	120, 150 cm	120, 150 cm		-	-		
0210-1C3		980 cm	932 cm	351 cm	3 - 14	55	107,6 m²	180 cm	90, 150, 180 cm	35, 90, 120, 150 cm		-	-		

Characteristics of the STEEL series:

- Galvanised steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Stainless steel elements
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

Colour & material options* :

- Colour (panels):
 - C1 HPL - RAL6000
 - C2 HPL - RAL3000
 - C3 HPL - RAL5024
 - C9 HPL - wood pattern
 - C11E HDPE - multicolour
- Platforms:
 - HEXA HPL
 - HEXA plywood
- Slides:
 - Stainless steel
 - Fiberglass
- Anchoring:
 - Surface
 - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com



Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0305



0310



0306



0300S1



0303



0304



0300

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0305	●	325 cm	292 cm	250 cm	3 - 12	15	30,3 m ²	90 cm	60, 90 cm	59, 90 cm	- ● - -	● ●
0310	-	201 cm	100 cm	120 cm	5 - 14	8	18,1 m ²	120 cm	-	-	● ● - -	● ●
0306	●	400 cm	322 cm	285 cm	3 - 12	16	32,3 m ²	120 cm	90, 120 cm	90, 120 cm	- ● - -	● ●
0300S1	●	447 cm	364 cm	340 cm	5 - 14	19	36,1 m ²	180 cm	180 cm	90, 180 cm	- ● - -	● ●
0303	●	419 cm	330 cm	335 cm	3 - 14	15	33,5 m ²	180 cm	90, 180 cm	90, 180 cm	- ● - -	● ●
0304	-	253 cm	263 cm	245 cm	3 - 12	9	24,0 m ²	90 cm	90 cm	90 cm	- ● - -	● ●
0300	●	626 cm	364 cm	340 cm	5 - 14	19	42,2 m ²	180 cm	180* cm	90, 180 cm	- ● - -	● ●

*Height of tube slides.



0301S1



0301

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
0301S1		940 cm	772 cm	370 cm	5 - 14	43	69,6 m ²	210 cm	180, 210 cm	90, 120, 180, 210 cm	-		-	-		
0301		966 cm	940 cm	370 cm	5 - 14	43	75,6 m ²	210 cm	180 , 210* cm	90, 120, 180, 210 cm	-		-	-		

*Height of tube slides.




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0302		1524 cm	1052 cm	370 cm	5 - 14	64	112,6 m²	210 cm	180, 210* cm	90, 120, 180, 210 cm	-   	 
0302S1		1116 cm	941 cm	370 cm	5 - 14	64	101,2 m²	210 cm	180, 210 cm	90, 120, 180, 210 cm	-   	 

*Height of tube slides.







Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0330	1492 cm	672 cm	616 cm	5 - 14	110	101,3 m ²	210 cm	210 cm (tube)	90, 110, 120, 150, 180, 210 cm	-	-

Characteristics of the CROOC series:

- Stainless steel construction or elements
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels and platforms
- Stainless steel slides
- Stainless steel tube slides
- Durable connectors
- Ropes with steel core
- Protective tops

Colour & material options*:

- Colour (panels):
 - CSH HPL - multicolour
 - C9 HPL - wood pattern
- Slides:
 - Stainless steel
 - Fiberglass
- Tubes:
 - Stainless steel
 - PE
- Anchoring:
 - Surface
 - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com


climbo

Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426



WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m ²	190 cm	-	-	-	wood	yellow / black	blue, black, red, orange
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m ²	< 60 cm	-	-	-	wood	-	-
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m ²	122 cm	-	-	-	wood	-	-
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m ²	99 cm	-	-	-	wood	-	-
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m ²	220 cm	-	-	-	wood	yellow / black	blue, black, red, orange
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m ²	220 cm	-	-	-	wood	yellow / black	blue, black, red, orange
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m ²	190 cm	-	-	-	wood	-	-




WD1465



WD1487



WD1460




WD1459



WD1462

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m²	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m²	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m²	99 cm	-	-	-	●	● / ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m²	< 60 cm	-	-	-	●	● / ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m²	220 cm	120 cm	-	-	●	● / ●	● ● ● ●



WD1461



WD1463

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1461	-	534 cm	306 cm	140 cm	3 - 14	28	44,7 m ²	< 60 cm	29, 59 cm	-	-	wood	HDPE / HPL	ropes
WD1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m ²	220 cm	120, 150 cm	-	-	wood	HDPE / HPL	ropes



Modular system!




0411



0410




0409



0499



0404-1



0401



0402




0403




0405-1



0406



0407




0408


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0411	-	250 cm	10 cm	30 cm	3 - 12	5	15,1 m ²	< 60 cm	29 cm	●	-	-	-	-
0410	-	239 cm	124 cm	59 cm	3 - 14	5	18,7 m ²	< 60 cm	59 cm	●	-	-	-	-
0409	-	210 cm	125 cm	80 cm	3 - 14	9	19,7 m ²	80 cm	59, 80 cm	●	-	-	-	-
0499	-	133 cm	180 cm	40 cm	3 - 14	4	18,9 m ²	< 60 cm	-	-	-	●	● / -	● ●
0404-1	-	241 cm	88 cm	121 cm	3 - 14	3	19,1 m ²	< 60 cm	34 cm	●	-	-	-	● ● ● ●
0401	-	176 cm	92 cm	194 cm	3 - 14	8	19,8 m ²	180 cm	-	●	-	-	-	● ● ● ●
0402	-	256 cm	172 cm	194 cm	3 - 14	13	26,1 m ²	180 cm	-	●	-	-	-	● ● ● ●
0403	-	351 cm	311 cm	194 cm	3 - 14	8	30,0 m ²	180 cm	-	●	-	-	-	● ● ● ●
0405-1	-	474 cm	88 cm	194 cm	3 - 14	10	31,8 m ²	194 cm	-	●	-	-	-	● ● ● ●
0406	-	241 cm	88 cm	194 cm	3 - 14	6	24,2 m ²	194 cm	-	●	-	-	-	-
0407	-	302 cm	8 cm	165 cm	3 - 14	6	16,6 m ²	150 cm	-	●	-	-	-	-
0408	-	166 cm	60 cm	135 cm	3 - 14	6	14,9 m ²	120 cm	-	●	-	-	-	-



1750



1714



1716



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m²	147 cm	-			-	-	-
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m²	200 cm	-					
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m²	225 cm	-			-	-	




0412



0413-1




SEE MORE!




0414-1


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants	
											steel	ropes
0412		242 cm	88 cm	121 cm	3 - 14	3	17,2 m ²	< 60 cm	35 cm	  	 /  	-
0413-1	-	496 cm	401 cm	121 cm	3 - 14	18	46,9 m ²	< 60 cm	35 cm	  	  	  
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	57,0 m ²	< 60 cm	35 cm	  	  	  




0419-1



0418-1



0417-1




0416-1



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	95,0 m²	200 cm	-		-	-	-	
0418-1	-	306 cm	306 cm	300 cm	3 - 14	14	34,8 m²	99 cm	-		-	-	-	
0417-1	-	266 cm	266 cm	250 cm	3 - 14	10	30,8 m²	99 cm	-		-	-	-	
0416-1	-	173 cm	173 cm	250 cm	3 - 14	4	17,8 m²	70 cm	-		-	-	-	





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0420	-	2445 cm	312 cm	395 cm	5 - 14	1	87,9 m ²	175 cm	98 cm	●	-	-	-	-
0421	-	2417 cm	298 cm	395 cm	5 - 14	2	139,5 m ²	175 cm	98 cm	●	-	-	-	-
0415	-	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m ²	140 cm	59 cm	●	-	-	-	-

Characteristics of the CLIMBOO series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

Colour & material options*:

- Colour (panels):

 - C1 HPL - RAL6000
 - C2 HPL - RAL3000
 - C11E HDPE - multicolour
 - C3 HPL - RAL5024
 - C9 HPL - wood pattern
- Colour (ropes):

 - L5 - blue
 - L7 - red
 - L6 - black
 - L8 - beige
- Platforms:

 - HEXA HPL
 - HEXA plywood
- Anchoring:

 - Surface
 - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com



Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.




1632



1638



1601



1602



1603



1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1632	-	364 cm	258 cm	223 cm	4 - 14	7	26,3 m ²	200 cm	●	-	-	● ● ● ●
1638	-	924 cm	258 cm	223 cm	4 - 14	15	51,3 m ²	200 cm	●	-	-	● ● ● ●
1601	-	336 cm	43 cm	223 cm	4 - 14	10	19,9 m ²	120 cm	●	-	-	● ● ● ●
1602	-	336 cm	73 cm	223 cm	4 - 14	5	21,8 m ²	100 cm	●	-	-	● ● ● ●
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m ²	115 cm	●	-	-	● ● ● ●
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m ²	120 cm	●	-	-	● ● ● ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m²	200 cm	●	-	-	●●●●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m²	100 cm	●	-	-	●●●●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m²	200 cm	●	-	-	●●●●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m²	100 cm	●	-	-	●●●●



1609



1635




1630



1610



1636



1631



1633




1634




1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m ²	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m ²	200 cm	●	-	-	● ● ● ●
1630	-	721 cm	177 cm	223 cm	4 - 14	14	43,6 m ²	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	73 cm	223 cm	4 - 14	3	21,8 m ²	100 cm	●	-	-	● ● ● ●
1636	-	258 cm	224 cm	223 cm	4 - 14	8	23,7 m ²	200 cm	●	-	-	● ● ● ●
1631	-	646 cm	213 cm	223 cm	4 - 14	14	39,9 m ²	200 cm	●	-	-	● ● ● ●
1633	-	382 cm	361 cm	223 cm	4 - 14	3	32,9 m ²	70 cm	●	-	-	-
1634	-	361 cm	258 cm	223 cm	4 - 14	7	25,8 m ²	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m ²	200 cm	●	-	-	● ● ● ●



1639



1640



SEE MORE!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m²	200 cm	●	-	-	● ● ● ●
1640	-	914 cm	908 cm	223 cm	4 - 14	44	112,0 m²	200 cm	●	-	-	● ● ● ●

Characteristics of the NETTIX series:

-  Galvanised steel construction
-  Stainless steel elements
-  HPL HEXA platforms
-  Ropes with steel core
-  Spinning elements
-  Durable connectors
-  Stainless steel chains
-  Protective tops

Colour & material options*:

-  Colour (ropes):
- L5 - blue

● L7 - red

● L6 - black

● L8 - beige

*Material options apply to selected products, for more information visit: www.vinci-play.com

spring

Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

New!



0608-2



0651



0652



0653



0655



0654



0602



0603




0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0608-2	-	68 cm	44 cm	79 cm	1 - 12	1	10,7 m ²	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m ²	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m ²	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m ²	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m ²	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m ²	< 60 cm		-
0602	-	82 cm	22 cm	79 cm	1 - 12	1	10,4 m ²	< 60 cm		-
0603	-	80 cm	22 cm	75 cm	1 - 12	1	10,3 m ²	< 60 cm		-
0604-1	-	78 cm	22 cm	77 cm	1 - 12	1	10,2 m ²	< 60 cm		-




0606



0623



0616



0609



0615-1



0607-1



0622



0633

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m²	< 60 cm		-
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m²	< 60 cm		-
0616	-	85 cm	43 cm	75 cm	1 - 12	1	11,3 m²	< 60 cm		-
0609	-	80 cm	43 cm	74 cm	1 - 12	1	11,1 m²	< 60 cm		-
0615-1	-	62 cm	43 cm	79 cm	1 - 12	1	10,5 m²	< 60 cm		-
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m²	< 60 cm		-
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m²	< 60 cm		-
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m²	< 60 cm		-



0632



0631



0630

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m²	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m²	< 60 cm		-
0630		110 cm	82 cm	82 cm	1 - 12	2	13,8 m²	< 60 cm		-



0600-1



0601-1



0613-1



0611-1



0626



0610



0670



0660




0671

See also from the ROBINIA series : p.126



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0600-1	-	48 cm	30 cm	84 cm	1 - 12	1	9,5 m²	< 60 cm		-
0601-1	-	140 cm	30 cm	84 cm	1 - 12	2	12,6 m²	< 60 cm		-
0613-1	-	140 cm	121 cm	78 cm	1 - 12	4	14,3 m²	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m²	< 60 cm		-
0626	-	124 cm	22 cm	101 cm	1 - 12	2	11,7 m²	< 60 cm		-
0610	-	160 cm	22 cm	81 cm	1 - 12	2	12,9 m²	< 60 cm		-
0660	-	204 cm	179 cm	87 cm	1 - 12	6	18,8 m²	< 60 cm		-
0670	-	333 cm	28 cm	86 cm	1 - 12	4	13,6 m²	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m²	< 60 cm		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0627	-	493 cm	431 cm	46 cm	3 - 12	23	45,4 m²	< 60 cm		-



0612-1



0681




0617-1



0621-1



0619



0624



0625

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m ²	< 60 cm		-
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m ²	< 60 cm		-
0617-1	-	45 cm	45 cm	59 cm	3 - 14	1	9,3 m ²	< 60 cm		-
0621-1		150 cm	100 cm	50 cm	3 - 14	5	16,1 m ²	< 60 cm		-
0619		100 cm	100 cm	45 cm	3 - 14	3	12,6 m ²	< 60 cm		-
0624	-	127 cm	32 cm	46 cm	3 - 14	2	12,1 m ²	< 60 cm	-	-
0625	-	298 cm	167 cm	46 cm	3 - 14	4	21,8 m ²	< 60 cm	-	-

Characteristics of the SPRING series:



HDPE panels



Stainless steel elements



Durable steel spring



HPL HEXA platforms

Colour & material options*:



Colour (panels):

-  C11E HDPE - multicolour
-  C12E HDPE - grey/black



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

swing

Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0513



ST0522



ST0524



ST0525



WD1425



ST0500



ST0528

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Seats	
									steel	inox	wood	HDPE	HPL
ST0513	●	100 cm	290 cm	170 cm	3 - 12	7	15,5 m ²	105 cm	●	●	-	●●●●	-
ST0522	-	240 cm	39 cm	80 cm	1 - 8	2	9,7 m ²	< 60 cm	●	●	-	●●●●	-
ST0524	-	336 cm	36 cm	96 cm	3 - 14	2	11,8 m ²	99 cm	●	●	-	●●●●	-
ST0525	-	436 cm	36 cm	100 cm	3 - 14	4	14,2 m ²	99 cm	●	●	-	●●●●	-
WD1425	-	270 cm	42 cm	93 cm	3 - 14	2	10,5 m ²	99 cm	-	-	●	●●●●	●●●●
ST0500	-	286 cm	39 cm	88 cm	3 - 12	2	10,8 m ²	99 cm	●	-	-	●●●●	●●●●
ST0528	-	181 cm	109 cm	130 cm	5 - 12	2	17,7 m ²	< 60 cm	●	-	-	-	●



ST0529



ST0530



ST0531

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0529		244	88	75	5 - 12	2	19,2 m ²	78 cm		-	-	
ST0530		264	102	106	3 - 12	2	20,8 m ²	99 cm		-	-	
ST0531		218	138	133	3 - 12	1	20,7 m ²	< 60 cm		-	-	



ST0510

Available seats:



Modular
system!

More configurations
available on www.vinci-play.com



ST0511



ST0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0510	-	36 cm	153 cm	180 cm	1 - 3/3 - 14	1	11,4 m²	99 cm			-	
ST0511	-	36 cm	295 cm	180 cm	1 - 3/3 - 14	2	21,2 m²	99 cm			-	
ST0512	-	36 cm	437 cm	180 cm	1 - 3/3 - 14	3	29,8 m²	99 cm			-	



ST1422



ST1491

Modular system!

More configurations available on www.vinci-play.com



ST1424

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1421	-	194 cm	247 cm	236 cm	1 - 3/3 - 14	1	13,0 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1422	-	194 cm	361 cm	236 cm	1 - 3/3 - 14	2	21,5 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1491	-	194 cm	545 cm	236 cm	1 - 3/3 - 14	3	35,1 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1424	-	194 cm	660 cm	236 cm	1 - 3/3 - 14	4	43,7 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST0520	-	194 cm	247 cm	236 cm	1+	2	12,9 m ²	175 cm	●	●	-	● ● ● ● ● ● ● ●



ST1423



ST1492



ST1497



ST1494

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423		194 cm	316 cm	236 cm	3 - 12	7	18,1 m ²	130 cm			-	
ST1492		194 cm	501 cm	236 cm	1 - 3/3 - 14	8	31,8 m ²	130 cm			-	
ST1497		194 cm	570 cm	236 cm	3 - 12	14	37,0 m ²	130 cm			-	
ST1494		194 cm	614 cm	236 cm	1 - 3/3 - 14	9	40,3 m ²	130 cm			-	

Modular
system!



WD1422-1



WD0520



WD1491



WD1424-1



WD1421-1

Available seats:



More configurations
available on www.vinci-play.com


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD0520	-	192 cm	246 cm	237 cm	1+	2	12,9 m ²	175 cm	-	-	wood	
WD1421-1	-	192 cm	246 cm	237 cm	1 - 3/3 - 14	1	13,0 m ²	130 cm	-	-	wood	
WD1422-1	-	192 cm	359 cm	237 cm	1 - 3/3 - 14	2	21,5 m ²	130 cm	-	-	wood	
WD1491	-	192 cm	544 cm	237 cm	1 - 3/3 - 14	3	35,1 m ²	130 cm	-	-	wood	
WD1424-1	-	192 cm	657 cm	237 cm	1 - 3/3 - 14	4	43,7 m ²	130 cm	-	-	wood	



WD1423-1



WD1492



WD1494

Available seats:



WD1497



See also from the ROBINIA series : p.126

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD1423-1		192 cm	315 cm	237 cm	3 - 12	7	18,1 m²	130 cm	-	-	wood	
WD1492		192 cm	499 cm	237 cm	1 - 3/3 - 14	8	31,8 m²	130 cm	-	-	wood	
WD1494		192 cm	613 cm	237 cm	1 - 3/3 - 14	9	40,3 m²	130 m	-	-	wood	
WD1497		192 cm	568 cm	237 cm	3 - 12	14	37,0 m²	130 cm	-	-	wood	





ST0515



ST0516

Available seats:



ST0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0515	-	636 cm	605 cm	234 cm	1 - 3/3 - 14	5	46,4 m²	130 cm	●	-	-	
ST0516	-	558 cm	639 cm	234 cm	1 - 3/3 - 14	6	54,5 m²	130 cm	●	-	-	
ST0517	●	238 cm	337 cm	293 cm	3 - 12	1	18,1 m²	130 cm	●	-	-	



ST0509



ST0518



ST0519



ST0521

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0509		643 cm	558 cm	281 cm	3 - 12	6	49,0 m ²	130 cm	●	-	-	● ● ● ● ● ● ● ●
ST0518	-	54 cm	400 cm	316 cm	6 - 14	1	29,1 m ²	< 60 cm	●	-	-	●
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m ²	130 cm	●	-	-	● ● ● ● ● ● ● ●
ST0521	-	485 cm	306 cm	269 cm	3 - 14	4	13,5 m ²	130 cm	●	-	-	● ● ● ● ● ● ● ●

Characteristics of the SWING series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



Stainless steel chains



Certified swing seats



Durable connectors



Protective tops



Ropes with steel core

Colour & material options*:



Colour (construction parts):

● C1 - RAL6029 ● C4 - RAL1023 ● C12 - RAL7040 ● C8 - NCS-S-1060-G-60Y ● Ci - stainless steel
● C2 - RAL3020 ● C6 - RAL2009 ● C13 - RAL9005 ● C3 - RAL5015



Construction:

● Painted steel ● Painted wood ● Stainless steel



Anchoring:

- Surface
- Deep


*Material options apply to selected products, for more information visit: www.vinci-play.com

hoop

Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children. Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0703-1

New!



0726




0728


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m²	73 cm	-		-	-	
0726		175 cm	175 cm	125 cm	3 - 12	2	26,0 m²	< 60 cm	-		-	-	
0728		219 cm	219 cm	89 cm	3 - 12	6	30,1 m²	< 60 cm	-		-	-	




0708-1



0702-2



0705-2




0706-1


See also from the ROBINIA series : p.126



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m²	< 60 cm	-		-	-	
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m²	73 cm	-		-	-	
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m²	71 cm	-		-	-	
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m²	68 cm	-		-	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0710	-	55 cm	53 cm	58 cm	3 - 12	1	16,2 m²	< 60 cm	-		-	-	-
0700-1	-	45 cm	45 cm	42 cm	3 - 12	3	15,6 m²	< 60 cm		-	-	-	-
0701-1	-	45 cm	45 cm	138 cm	3 - 12	1	15,6 m²	< 60 cm		-	-	-	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m²	< 60 cm	-		-		-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m²	< 60 cm	-		-		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0711	-	72 cm	72 cm	183 cm	7 - 16	4	35,4 m²	100 cm	●	-	-	-	-
0714	-	261 cm	28 cm	183 cm	5 - 12	2	34,4 m²	99 cm	●	-	-	-	●

Characteristics of the HOOP series:

-  Stainless steel construction or elements
-  Galvanised steel construction or elements
-  HPL platforms
-  HPL panels
-  HDPE panels
-  Spinning elements
-  Movable elements

Colour & material options*:

-  Anchoring:
 - Surface
 - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

Robinia



Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. The wood is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1203



RB1334



RB1201



RB1202

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1203	●	257 cm	255 cm	210 cm	1+	9	24,8 m ²	< 60 cm
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m ²	< 60 cm
RB1201	●	140 cm	140 cm	188 cm	1+	4	17,4 m ²	< 60 cm
RB1202	●	240 cm	140 cm	188 cm	1+	8	19,9 m ²	< 60 cm





RB1207




RB1205



RB1206

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1207		570 cm	330 cm	308 cm	2+	21	43,9 m ²	90 cm
RB1205	-	330 cm	209 cm	308 cm	2+	8	25,7 m ²	90 cm
RB1206	-	340 cm	326 cm	308 cm	2+	9	29,1 m ²	90 cm





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	449 cm	317 cm	368 cm	3+	10	32,1 m²	150 cm
RB1215	-	612 cm	544 cm	427 cm	5+	22	51,2 m²	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	663 cm	667 cm	349 cm	5+	28	60,5 m ²	238 cm
RB1217	-	929 cm	876 cm	428 cm	5+	39	83,7 m ²	238 cm



RB1305



RB1301



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1305	-	605 cm	276 cm	250 cm	3+	6	35,3 m ²	130 cm
RB1301	-	284 cm	186 cm	200 cm	3+	5	21,2 m ²	90 cm
RB1302	-	373 cm	326 cm	200 cm	3+	12	32,9 m ²	165 cm
RB1311	-	609 cm	357 cm	250 cm	3+	22	51,2 m ²	200 cm



RB1231



RB1235



RB1232



RB1234



RB1233



RB1236



RB1237

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	479 cm	278 cm	400 cm	3+	12	29,8 m ²	90 cm
RB1235	●	359 cm	291 cm	300 cm	2+	6	28,1 m ²	110 cm
RB1232	●	310 cm	141 cm	155 cm	2+	9	22,2 m ²	110 cm
RB1234	●	389 cm	137 cm	350 cm	1+	9	24,8 m ²	110 cm
RB1233	●	580 cm	184 cm	310 cm	2+	8	33,2 m ²	110 cm
RB1236	-	305 cm	171 cm	500 cm	3+	3	21,8 m ²	150 cm
RB1237	-	800 cm	326 cm	400 cm	3+	20	49,4 m ²	90 cm



RB1238

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238		839 cm	616 cm	460 cm	3+	40	76,0 m ²	150 cm





RB1241



RB1243




RB1244



RB1242



RB1245



RB1246



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	264 cm	120 cm	206 cm	1+	12	22,7 m ²	< 60 cm
RB1243	●	161 cm	120 cm	129 cm	1+	10	17,4 m ²	< 60 cm
RB1244	●	161 cm	120 cm	160 cm	1+	11	17,4 m ²	< 60 cm
RB1242	●	390 cm	257 cm	282 cm	2+	11	31,7 m ²	90 cm
RB1245	●	414 cm	214 cm	160 cm	1+	25	28,5 m ²	< 60 cm
RB1246	●	817 cm	341 cm	282 cm	2+	36	51,8 m ²	90 cm



RB1251



RB1252



RB1253



RB1259



RB1254



RB1258



RB1255



RB1256




RB1257



RB1260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	18 cm	18 cm	30 cm	1+	1	8,8 m ²	< 60 cm
RB1252	-	90 cm	45 cm	28 cm	1+	2	11,5 m ²	< 60 cm
RB1253	-	190 cm	26 cm	51 cm	3+	3	14,1 m ²	< 60 cm
RB1259	-	173 cm	59 cm	23 cm	3+	5	15,0 m ²	< 60 cm
RB1254	-	400 cm	20 cm	48 cm	3+	7	21,1 m ²	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m ²	< 60 cm
RB1255	-	310 cm	20 cm	46 cm	3+	6	18,2 m ²	< 60 cm
RB1256	-	493 cm	159 cm	65 cm	3+	11	25,6 m ²	65 cm
RB1257	-	620 cm	274 cm	63 cm	3+	16	34,0 m ²	63 cm
RB1260	-	250 cm	140 cm	127 cm	3+	4	20,7 m ²	< 60 cm



RB1264



RB1265



RB1266



RB1267



RB1263



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m ²	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m ²	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m ²	120 cm
RB1267	-	170 cm	93 cm	200 cm	4+	6	22,2 m ²	190 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m ²	80 cm



RB1262



RB1271



RB1272



RB1278



RB1279

Customise your own
obstacle course



RB1274



RB1270



RB1273

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m ²	238 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m ²	< 60 cm
RB1272	-	370 cm	48 cm	160 cm	3+	7	21,4 m ²	< 60 cm
RB1278	-	220 cm	65 cm	23 cm	3+	5	17,0 m ²	< 60 cm
RB1279	-	218 cm	126 cm	99 cm	2+	3	21,1 m ²	99 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m ²	117 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m ²	< 60 cm
RB1273	-	465 cm	282 cm	178 cm	3+	11	31,2 m ²	90 cm



RB1283




RB1284



RB1280

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1283	-	437 cm	130 cm	110 cm	4+	4	28,9 m ²	110 cm
RB1284	-	196 cm	66 cm	204 cm	4+	4	17,0 m ²	204 cm
RB1280	-	496 cm	457 cm	170 cm	4+	6	43,8 m ²	85 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1383	-	700 cm	700 cm	450 cm	3+	44	95,0 m ²	200 cm
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m ²	120 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m ²	175 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m ²	110 cm
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m ²	190 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m ²	110 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m ²	200 cm



RB1319



RB1281



RB1312

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	751 cm	670 cm	240 cm	3+	49	75,2 m ²	200 cm
RB1281		328 cm	312 cm	114 cm	3+	8	31,3 m ²	114 cm
RB1312	-	459 cm	427 cm	240 cm	5+	22	53,4 m ²	240 cm







RB1291



RB1295



Product number		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1291	-	201 cm	102 cm	180 cm	2+	3	17,1 m ²	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	2+	4	18,6 m ²	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m ²	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	4+	3	23,4 m ²	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	2+	3	16,9 m ²	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	2+	3	17,8 m ²	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	2+	3	18,9 m ²	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	3	19,9 m ²	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	3	21,2 m ²	< 60 cm	210 cm	372 cm	25 cm



RB1347



RB1332

Modular
system!



RB1333



RB1331

More configurations
available on www.vinci-play.com




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1347	●	100 cm	406 cm	162 cm	3+	2	20,2 m ²	90 cm
RB1332	●	222 cm	144 cm	175 cm	2+	11	20,8 m ²	< 60 cm
RB1333	●	552 cm	552 cm	210 cm	1+	52	70,7 m ²	< 60 cm
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m ²	< 60 cm






RB1340



RB1341



RB1342



RB1344



RB1343



RB1346



RB1345

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1340	●	118 cm	43 cm	110 cm	1+	2	13,0 m ²	< 60 cm
RB1341	●	150 cm	23 cm	150 cm	1+	2	13,4 m ²	< 60 cm
RB1342	●	119 cm	19 cm	140 cm	1+	2	12,2 m ²	< 60 cm
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m ²	< 60 cm
RB1343	●	119 cm	118 cm	140 cm	1+	4	15,0 m ²	< 60 cm
RB1346	●	40 cm	28 cm	109 cm	1+	2	9,2 m ²	< 60 cm
RB1345	●	37 cm	22 cm	95 cm	1+	2	9,6 m ²	< 60 cm



RB1363



RB1361



RB1362



RB1364



RB1369



RB1365

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m ²	< 60 cm
RB1362	-	96 cm	36 cm	84 cm	1+	1	11,4 m ²	< 60 cm
RB1363	-	84 cm	36 cm	84 cm	1+	1	11,0 m ²	< 60 cm
RB1364	-	160 cm	129 cm	74 cm	3+	4	15,2 m ²	< 60 cm
RB1369		97 cm	97 cm	47 cm	3+	3	12,4 m ²	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m ²	< 60 cm






RB1372



RB1373



RB1375

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m ²	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m ²	68 cm
RB1375	-	254 cm	20 cm	150 cm	3+	3	16,7 m ²	< 60 cm





RB1351



RB1352



RB1422



RB1491



RB1424

Modular
system!



RB1421

Available seats:



More configurations
available on www.vinci-play.com


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m²	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m²	99 cm
RB1422	-	205 cm	370 cm	238 cm	1+ / 3+	2	21,5 m²	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+ / 3+	3	35,2 m²	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+ / 3+	4	42,5 m²	130 cm
RB1421	-	205 cm	260 cm	238 cm	1+ / 3+	1	13,0 m²	130 cm

Modular
system!



RB1423

More configurations
available on www.vinci-play.com



RB1492



RB1494



RB1497



RB0520



RB0517



RB0513

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m ²	130 cm
RB1492	●	205 cm	512 cm	238 cm	1+ / 3+	8	31,8 m ²	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+ / 3+	9	40,3 m ²	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m ²	130 cm
RB0520	●	205 cm	260 cm	238 cm	1+	2	12,9 m ²	175 cm
RB0517	●	250 cm	349 cm	298 cm	3+	1	18,1 m ²	130 cm
RB0513	●	100 cm	310 cm	174 cm	3+	7	15,5 m ²	105 cm



RB0510



RB0511



RB0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0510	-	20 cm	166 cm	176 cm	1+ / 3+	1	11,4 m ²	99 cm
RB0511	-	20 cm	312 cm	176 cm	1+ / 3+	2	21,5 m ²	99 cm
RB0512	-	20 cm	470 cm	176 cm	1+ / 3+	3	31,0 m ²	99 cm



RB0515



RB0521-1



Available length:
20 m, 30 m, 40 m

RB1385




Available length:
20 m, 30 m, 40 m

RB1386

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0515	-	639 cm	609 cm	239 cm	1+ / 3+	5	46,5 m ²	130 cm
RB0521-1	-	494 cm	316 cm	274 cm	3+	4	13,5 m ²	130 cm
RB1385	-	2459 cm	316 cm	395 cm	5+	1	83,8 m ²	175 cm
RB1386	-	2430 cm	298 cm	395 cm	5+	2	138,7 m ²	175 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	200 cm	176 cm	33 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1399	-	56 cm	15 cm	180 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-



RB1268



RB1396



RB1398



RB1397

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	269 cm	60 cm	113 cm	-	-	-	-
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-

Characteristics of the ROBINIA series:

-  Robinia wood construction
-  Stainless steel elements
-  HPL panels
-  Stainless steel slides
-  Ropes with steel core
-  Protective tops



New series!

Products available in the first quarter of 2022

Anyone can be an athlete

The steel parts of the goals and baskets, fencing, guards and gates are hot-dip galvanised or made of durable composite and wooden elements, fully resistant to weather conditions or mechanical damages. The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



Adjust the size



Choose the equipment

Modular system!



More configurations available on www.vinci-play.com

- 1 Modular HDPE side panels
- 2 Segmental steel covers
- 3 Safety nets

- 4 Multi-module basketball baskets
- 5 System football goals
- 6 Freestanding basketball baskets





- 7 Wheelchair accessibility
- 8 System floorball goals
- 9 Optional size and shape of the field





Want to play?

The SPORT series comprises football and hockey goals, basketball hoops and trampolines which all encourage children to take on sport challenges among their fellows. Jumping on a trampoline brings a lot of joy for every child, but it is also an effective exercise of balance, endurance and movement coordination. The equipment from this series integrates kids while releasing the spirit of sport competition.



Product code		Product length	Product width	Product height	Safety zone	Free-fall height
2002	●	188 cm	100 cm	384 cm	-	-
2003	●	200 cm	60 cm	100 cm	-	-
2022	●	247 cm	96 cm	200 cm	-	-
2036	●	170 cm	100 cm	169 cm	-	-
2200	●	150 cm	150 cm	5 cm	13,6 m ²	90 cm
2202	●	150 cm	150 cm	5 cm	12,1 m ²	90 cm

Characteristics of the SPORT series:



Galvanised steel construction or elements



Reinforced belt fabric



Surface: coloured rubber




jumpoo

Jump to the sky!


Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.

Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.


New series!




2222




2211



2212



2213




2214


Modular system!




2221



2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	600 cm	375 cm	-	4 - 15	44,9 m ²	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m ²	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m ²	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	18,3 m ²	90 cm	
2214		250 cm	150 cm	-	4 - 15	18,3 m ²	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	30,6 m ²	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	28,4 m ²	90 cm	
2223	-	743 cm	322 cm	-	4 - 15	44,2 m ²	90 cm	
2224	-	900 cm	674 cm	-	4 - 15	78,0 m ²	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas



fitness



Keeping fit!

The FITNESS series was created with wellness in mind, encouraging to train and lead a healthy lifestyle. The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



1106



1103-1



1101



1108



1104-1



1105-1



1107-1



1102

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1106	●	134 cm	63 cm	141 cm	14+	140 kg	17,9 m²	< 60 cm	● ● ● ● ●	●	-
1101	●	101 cm	88 cm	199 cm	14+	140 kg	13,6 m²	99 cm	● ● ● ● ●	●	-
1102	●	93 cm	79 cm	199 cm	14+	140 kg	12,8 m²	99 cm	● ● ● ● ●	●	-
1103-1	●	159 cm	38 cm	132 cm	14+	140 kg	13,6 m²	< 60 cm	● ● ● ● ●	●	-
1104-1	●	77 cm	74 cm	167 cm	14+	140 kg	13,1 m²	< 60 cm	● ● ● ● ●	●	-
1105-1	●	93 cm	83 cm	167 cm	14+	140 kg	13,1 m²	< 60 cm	● ● ● ● ●	●	-
1107-1	●	101 cm	75 cm	167 cm	14+	140 kg	14,7 m²	< 60 cm	● ● ● ● ●	●	-
1108	●	77 cm	66 cm	137 cm	14+	140 kg	11,9 m²	< 60 cm	● ● ● ● ●	●	-



1109



1110



1111-1

Watch movie:



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1109		85 cm	44 cm	139 cm	14+	140 kg	11,3 m²	< 60 cm	   		-
1110		85 cm	63 cm	174 cm	14+	140 kg	12,0 m²	< 60 cm	   		-
1111-1		111 cm	49 cm	132 cm	14+	140 kg	13,2 m²	89 cm	   		-





1112



1113



1114



1115



1116-1



1117

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1112		79 cm	71 cm	132 cm	14+	140 kg	12,1 m ²	< 60 cm			-
1113		214 cm	123 cm	132 cm	14+	140 kg	16,8 m ²	112 cm			-
1114		78 cm	65 cm	142 cm	14+	140 kg	11,9 m ²	< 60 cm			-
1115		167 cm	64 cm	166 cm	14+	140 kg	15,0 m ²	< 60 cm			-
1116-1		188 cm	75 cm	167 cm	14+	140 kg	16,4 m ²	< 60 cm			-
1117		79 cm	66 cm	132 cm	14+	140 kg	12,0 m ²	< 60 cm			-



1139



1143



1145



1131



1138



1146



1151



1132



1140



1147



1152



1133



1141



1148



1153



1134



1142



1149



1154



1137



1144



1150



1156

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1139		212 cm	75 cm	167 cm	14+	140 kg	18,2 m²	< 60 cm	     		-
1143		171 cm	75 cm	167 cm	14+	140 kg	17,4 m²	89 cm	     		-
1145		85 cm	67 cm	174 cm	14+	140 kg	12,2 m²	< 60 cm	     		-
1131		220 cm	88 cm	199 cm	14+	140 kg	17,2 m²	99 cm	     		-
1138		124 cm	75 cm	167 cm	14+	140 kg	16,1 m²	< 60 cm	     		-
1146		86 cm	85 cm	139 cm	14+	140 kg	12,9 m²	< 60 cm	     		-
1151		259 cm	75 cm	167 cm	14+	140 kg	19,4 m²	89 cm	     		-
1132		105 cm	88 cm	204 cm	14+	140 kg	13,8 m²	104 cm	     		-
1140		225 cm	93 cm	167 cm	14+	140 kg	18,2 m²	< 60 cm	     		-
1147		134 cm	85 cm	174 cm	14+	140 kg	15,0 m²	89 cm	     		-
1152		141 cm	88 cm	208 cm	14+	140 kg	14,9 m²	108 cm	     		-
1133		141 cm	88 cm	204 cm	14+	140 kg	14,9 m²	104 cm	     		-
1141		137 cm	93 cm	167 cm	14+	140 kg	15,8 m²	< 60 cm	     		-
1148		102 cm	85 cm	174 cm	14+	140 kg	13,3 m²	< 60 cm	     		-
1153		214 cm	185 cm	208 cm	14+	140 kg	21,6 m²	112 cm	     		-
1134		100 cm	93 cm	199 cm	14+	140 kg	13,6 m²	99 cm	     		-
1142		123 cm	78 cm	167 cm	14+	140 kg	16,5 m²	< 60 cm	     		-
1149		214 cm	146 cm	174 cm	14+	140 kg	20,1 m²	112 cm	     		-
1154		123 cm	88 cm	199 cm	14+	140 kg	14,3 m²	99 cm	     		-
1137		183 cm	85 cm	174 cm	14+	140 kg	15,6 m²	< 60 cm	     		-
1144		99 cm	85 cm	174 cm	14+	140 kg	13,2 m²	< 60 cm	     		-
1150		85 cm	85 cm	174 cm	14+	140 kg	12,8 m²	< 60 cm	     		-
1156		102 cm	85 cm	174 cm	14+	140 kg	13,2 m²	< 60 cm	     		-





RB1106



RB1113



RB1116

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1106		140 cm	65 cm	141 cm	14+	140 kg	18,2 m²	< 60 cm	-	-	
RB1113		218 cm	133 cm	145 cm	14+	140 kg	20,5 m²	112 cm	-	-	
RB1116		188 cm	79 cm	178 cm	14+	140 kg	16,5 m²	112 cm	-	-	



RB1117



RB1112



RB1108



RB1114



RB1110



RB1109



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1117		89 cm	70 cm	155 cm	14+	140 kg	12,5 m²	< 60 cm	-	-	
RB1112		85 cm	73 cm	145 cm	14+	140 kg	12,4 m²	< 60 cm	-	-	
RB1108		84 cm	70 cm	155 cm	14+	140 kg	12,3 m²	< 60 cm	-	-	
RB1114		78 cm	73 cm	155 cm	14+	140 kg	12,2 m²	< 60 cm	-	-	
RB1110		85 cm	66 cm	174 cm	14+	140 kg	12,2 m²	< 60 cm	-	-	
RB1109		89 cm	47 cm	139 cm	14+	140 kg	11,6 m²	< 60 cm	-	-	

Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

Colour & material options*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C16 - RAL6013



C18 - RAL5009



C12 - RAL7040



C17 - RAL4008



Ci - stainless steel



Construction:



Painted steel



Stainless steel



Anchoring:



Robinia wood



- Surface



- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

workout

As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body. Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.

New series!



2324



2301



2302



2303



2304




2305




2306

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2324	●	458 cm	379 cm	241 cm	14+	140 kg	39,9 m ²	228 cm	● ● ● ● ●	●	-
2301	●	194 cm	64 cm	72 cm	14+	140 kg	16,1 m ²	72 cm	● ● ● ● ●	●	-
2302	●	194 cm	68 cm	122 cm	14+	140 kg	16,3 m ²	112 cm	● ● ● ● ●	●	-
2303	●	194 cm	124 cm	122 cm	14+	140 kg	19,0 m ²	112 cm	● ● ● ● ●	●	-
2304	●	342 cm	13 cm	138 cm	14+	140 kg	18,2 m ²	127 cm	● ● ● ● ●	●	-
2305	●	151 cm	82 cm	83 cm	14+	140 kg	14,4 m ²	< 60 cm	● ● ● ● ●	●	-
2306	●	158 cm	82 cm	83 cm	14+	140 kg	14,6 m ²	< 60 cm	● ● ● ● ●	●	-




Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2307	●	168 cm	12 cm	241 cm	14+	140 kg	12,7 m²	130 cm	● ● ● ● ●	●	-
2308	●	234 cm	12 cm	241 cm	14+	140 kg	24,5 m²	231 cm	● ● ● ● ●	●	-
2309	●	123 cm	12 cm	241 cm	14+	140 kg	19,7 m²	229 cm	● ● ● ● ●	●	-
2310	●	123 cm	12 cm	241 cm	14+	140 kg	18,9 m²	230 cm	● ● ● ● ●	●	-
2311	●	153 cm	123 cm	347 cm	14+	140 kg	29,2 m²	245 cm	● ● ● ● ●	●	-
2312	●	123 cm	86 cm	351 cm	14+	140 kg	25,5 m²	249 cm	● ● ● ● ●	●	-
2313	●	123 cm	12 cm	241 cm	14+	140 kg	11,3 m²	126 cm	● ● ● ● ●	●	-
2314	●	233 cm	122 cm	241 cm	14+	140 kg	20,6 m²	139 cm	● ● ● ● ●	●	-
2315	●	233 cm	59 cm	242 cm	14+	140 kg	17,2 m²	139 cm	● ● ● ● ●	●	-
2323	●	348 cm	233 cm	241 cm	14+	140 kg	32,6 m²	240 cm	● ● ● ● ●	●	-
2325	●	489 cm	453 cm	347 cm	14+	140 kg	50,5 m²	245 cm	● ● ● ● ●	●	-



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2326	●	543 cm	344 cm	241 cm	14+	140 kg	54,8 m²	228 cm	● ● ● ● ●	●	-
2327	●	608 cm	499 cm	251 cm	14+	140 kg	64,6 m²	228 cm	● ● ● ● ●	●	-
2328	●	789 cm	600 cm	347 cm	14+	140 kg	84,4 m²	245 cm	● ● ● ● ●	●	-
2329	●	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m²	249 cm	● ● ● ● ●	●	-
2399	-	104 cm	12 cm	204 cm	-	-	-	-	● ● ● ● ●	●	-





Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2301	●	198 cm	69 cm	72 cm	14+	140 kg	16,4 m²	72 cm	-	-	●
RB2302	●	75 cm	198 cm	130 cm	14+	140 kg	16,7 m²	112 cm	-	-	●
RB2303	●	198 cm	131 cm	130 cm	14+	140 kg	19,5 m²	112 cm	-	-	●
RB2304	●	354 cm	19 cm	146 cm	14+	140 kg	19,0 m²	127 cm	-	-	●
RB2305	●	153 cm	89 cm	90 cm	14+	140 kg	14,7 m²	< 60 cm	-	-	●
RB2306	●	160 cm	89 cm	90 cm	14+	140 kg	14,9 m²	< 60 cm	-	-	●
RB2307	●	175 cm	18 cm	250 cm	14+	140 kg	14,0 m²	130 cm	-	-	●
RB2308	●	242 cm	19 cm	250 cm	14+	140 kg	26,4 m²	231 cm	-	-	●
RB2309	●	130 cm	19 cm	250 cm	14+	140 kg	21,4 m²	229 cm	-	-	●
RB2310	●	131 cm	20 cm	250 cm	14+	140 kg	21,3 m²	230 cm	-	-	●
RB2313	●	129 cm	18 cm	250 cm	14+	140 kg	12,3 m²	126 cm	-	-	●
RB2311	●	157 cm	128 cm	347 cm	14+	140 kg	30,9 m²	245 cm	-	-	●
RB2312	●	128 cm	90 cm	351 cm	14+	140 kg	27,0 m²	249 cm	-	-	●



RB2314



RB2315



RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2314		241 cm	129 cm	250 cm	14+	140 kg	22,1 m²	139 cm	-	-	
RB2315		242 cm	59 cm	250 cm	14+	140 kg	17,9 m²	139 cm	-	-	
RB2323		358 cm	241 cm	250 cm	14+	140 kg	34,7 m²	230 cm	-	-	





RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



RB2399

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2324	●	468 cm	384 cm	250 cm	14+	140 kg	42,2 m²	228 cm	-	-	●
RB2325	●	494 cm	464 cm	347 cm	14+	140 kg	52,3 m²	245 cm	-	-	●
RB2326	●	554 cm	352 cm	250 cm	14+	140 kg	57,8 m²	228 cm	-	-	●
RB2328	●	798 cm	607 cm	347 cm	14+	140 kg	92,4 m²	245 cm	-	-	●
RB2327	●	619 cm	508 cm	255 cm	14+	140 kg	68,2 m²	228 cm	-	-	●
RB2329	●	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m²	249 cm	-	-	●
RB2399	-	109 cm	20 cm	210 cm	-	-	-	-	-	-	●

Characteristics of the WORKOUT series:

- 

Galvanised steel construction
- 

Stainless steel construction or elements
- 

Robinia wood construction
- 

HPL HEXA platforms
- 

HPL panels
- 

Polycarbonate (PC) panels
- 

Durable connectors
- 

Protective tops

Colour & material options*:

- 

Colour (construction in steel):

 - C8 - NCS-S-1060-G-60Y
 - C16 - RAL6013
 - C18 - RAL5009
 - C12 - RAL7040
 - C17 - RAL4008
 - Ci - stainless steel
- 

Construction:

 - Painted steel
 - Robinia wood
 - Stainless steel

*Material options apply to selected products, for more information visit: www.vinci-play.com


-park-

Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0911



0912



0900-2



0902-2

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0913	-	146 cm	129 cm	54 cm		-	-	-	-
0923	-	159 cm	35 cm	36 cm		-	-		-
0924	-	159 cm	42 cm	78 cm		-	-		-
0925	-	159 cm	35 cm	36 cm	-		-		-
0926	-	159 cm	42 cm	78 cm	-		-		-
0911	-	112 cm	49 cm	43 cm		-	-	-	-
0912	-	112 cm	50 cm	43 cm		-	-	-	-
0900-2	-	160 cm	38 cm	43 cm	-	-			-
0902-2	-	160 cm	48 cm	80 cm	-	-			-



0915

0914

See also from the ROBINIA series : p.126



0933



0934



0935



0905-1



0904

New!



0936



0938



0940



0909



0910

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0915	-	160 cm	57 cm	74 cm	-	-	wood	steel	-
0914	-	171 cm	160 cm	74 cm	-	-	wood	steel	-
0933	-	45 cm	45 cm	85 cm	-	wood	-	steel	-
0934	-	45 cm	45 cm	85 cm	HDPE, HPL, wood	-	-	steel	-
0935	-	125 cm	31 cm	95 cm	-	-	-	steel	-
0905-1	-	44 cm	31 cm	95 cm	-	-	-	steel	-
0904	-	44 cm	31 cm	95 cm	-	-	-	steel	-
0936	-	87 cm	8 cm	84 cm	-	-	-	steel	-
0938	-	70 cm	12 cm	81 cm	-	-	-	steel	-
0940	-	94 cm	44 cm	25 cm	-	-	-	steel	-
0909	-	43 cm	32 cm	74 cm	HDPE, HPL, wood	-	-	steel	-
0910	-	45 cm	32 cm	73 cm	HDPE, HPL, wood	-	-	steel	-




WD1485



WD1484




WD1486




0920



0927



0928



0921-1



0922

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-




WD1483



0906



0907



0908

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1483	-	50 cm	10 cm	170 cm	-	-	-	-	●
0906	-	50 cm	4 cm	171 cm	-	-	-	●	-
0907	-	59 cm	4 cm	169 cm	-	-	-	●	-
0908	-	170 cm	15 cm	171 cm	-	-	-	●●	-

Characteristics of the PARK series:



Galvanised steel construction



Wood construction



Galvanised anchors



HDPE panels



HPL panels

Colour & material options*:



Colour (panels):



C1 HPL - RAL6000



C2 HPL - RAL3000



C11E HDPE - multicolour



C3 HPL - RAL5024



C9 HPL - wood pattern



C12E HDPE - grey/black



Anchoring:

- Surface

- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

jungle



3231 p.30 3240 p.30 3230 p.30 3227 p.30 3241 p.31 3245 p.31 3260 p.31

space



3427 p.32 3430 p.32 3431 p.32 3440 p.34 3441 p.34 3445 p.34 3460 p.35

castillo



3028-1 p.36 3040-1 p.36 3001-1 p.36 3002-1 p.36 3003-1 p.36 3004-1 p.36 3027-1 p.37 3030-1 p.37 3029-1 p.39



3041-1 p.39 3031-1 p.39 3045-1 p.39 3060-1 p.40 3080 p.41

steel+



1723 p.42 1702 p.42 1709 p.42 1701 p.43 1724 p.43 1726 p.43 1703 p.44 1704 p.44 1705 p.44



1706 p.45 1717 p.45 1707 p.45 1708 p.45 1710 p.45 1712 p.45 1711 p.45 1713 p.45 1727 p.46



1728 p.46 1730-1 p.46 1731 p.46 1740 p.46 1741 p.47 1745 p.47 1790 p.47 1736 p.49 1780 p.49

topicco



WD1534 p.50 WD1541 p.50 WD1542 p.50 3101 p.51 3102 p.51 3103 p.51 3104 p.51

wooden



WD1503 p.52 WD1403 p.52 WD1437 p.52 WD1401 p.52 WD1402 p.52 WD1407 p.52 WD1505 p.54 WD1501 p.54 WD1506 p.54



WD1434 p.55 WD1436 p.55 WD1504 p.55 WD1502 p.55 WD1408 p.56 WD1406 p.56 WD1404 p.56 WD1405 p.56 WD1438 p.56



solo

minisweet

steel

crooc

climbo



1763 p.75



1770 p.75



1771 p.75



1772 p.75



1720 p.75



1721 p.75



1722 p.75



WP2801 p.76



WP2804 p.76



WP2802 p.76



WP2805 p.76



WP2807 p.76



WP2808 p.76



WP2803 p.76



WP2806 p.76



0816 p.77



0817 p.77



0823 p.77



0106-1C1 p.78



0100C1 p.78



0103C1 p.78



0101-1C1 p.78



0108-2C2 p.79



0102C2 p.79



0107C3 p.79



0105C3 p.79



0109-1C9 p.79



0104C9 p.79



0110 p.81



0111 p.81



0112 p.81



0113 p.81



0114 p.81



0204C9 p.82



0814C9 p.82



0815-2C9 p.82



0201-1C9 p.82



0200C9 p.82



0212C1 p.83



0202-1C1 p.83



0203-1C1 p.83



0205-1C2 p.83



0213C2 p.83



0207C2 p.83



0208C3 p.83



0209C3 p.83



0206C3 p.83



0211-1C3 p.85



0214C3 p.85



0210-1C3 p.85



0305 p.86



0310 p.86



0306 p.86



0300S1 p.86



0303 p.86



0304 p.86



0300 p.86



0301S1 p.87



0301 p.87



0302 p.88



0302S1 p.88



0330 p.91



WD1420 p.92



WD1464 p.92



WD1428 p.92



WD1426 p.92



WD1417 p.92



WD1419 p.92



WD1466 p.92



WD1465 p.93



WD1487 p.93



WD1460 p.93



WD1459 p.93



WD1462 p.93



WD1461 p.94



WD1463 p.94




0411 p.96






0410 p.96



0409 p.96



0499 p.96



netix

spring

swing



0625 p.111



ST0513 p.112



ST0522 p.112



ST0524 p.112



ST0525 p.112



WD1425 p.112



ST0500 p.112



ST0528 p.112



ST0529 p.113



ST0530 p.113



ST0531 p.113



ST0510 p.114



ST0511 p.114



ST0512 p.114



ST1421 p.115



ST1422 p.115



ST1491 p.115



ST1424 p.115



ST0520 p.115



ST1423 p.116



ST1492 p.116



ST1497 p.116



ST1494 p.116



WD0520 p.117



WD1421-1 p.117



WD1422-1 p.117



WD1491 p.117



WD1424-1 p.117



WD1423-1 p.118



WD1492 p.118



WD1494 p.118



WD1497 p.118



ST0515 p.120



ST0516 p.120



ST0517 p.120



ST0509 p.121



ST0518 p.121



ST0519 p.121




ST0521 p.121

hoop



0703-1 p.122



0726 p.122



0728 p.122




0708-1 p.123



0702-2 p.123



0705-2 p.123



0706-1 p.123



0710 p.124



0700-1 p.124



0701-1 p.124



0712 p.124



0713 p.124



0711 p.125



0714 p.125

robinia



RB1203 p.126



RB1334 p.126



RB1201 p.126



RB1202 p.126



RB1207 p.128



RB1205 p.128



RB1206 p.128



RB1211 p.130



RB1215 p.130



RB1216 p.131



RB1217 p.131



RB1305 p.132



RB1301 p.132



RB1302 p.132



RB1311 p.132




RB1231 p.133



RB1235 p.133




RB1232 p.133



RB0511 p.154	RB0512 p.154	RB0515 p.155	RB0521-1 p.155	RB1385 p.155	RB1386 p.155	RB1350 p.156	RB1349 p.156	RB1348 p.156
RB1399 p.156	RB1395 p.156	RB1392 p.156	RB1391 p.156	RB1268 p.157	RB1396 p.157	RB1398 p.157	RB1397 p.157	
2002 p.160	2003 p.160	2022 p.160	2036 p.160	2200 p.160	2202 p.160			
2222 p.162	2211 p.162	2212 p.162	2213 p.162	2214 p.162	2221 p.162	2220 p.162	2223 p.162	2224 p.162
1106 p.164	1103-1 p.164	1101 p.164	1102 p.164	1104-1 p.164	1105-1 p.164	1107-1 p.164	1108 p.164	1109 p.165
1110 p.165	1111-1 p.165	1112 p.167	1113 p.167	1114 p.167	1115 p.167	1116-1 p.167	1117 p.167	1131 p.168
1132 p.168	1133 p.168	1134 p.168	1137 p.168	1138 p.168	1139 p.168	1140 p.168	1141 p.168	1142 p.168
1143 p.168	1144 p.168	1145 p.168	1146 p.168	1147 p.168	1148 p.168	1149 p.168	1150 p.168	1151 p.168
1152 p.168	1153 p.168	1154 p.168	1156 p.168	RB1106 p.170	RB1113 p.170	RB1116 p.170	RB1117 p.171	RB1112 p.171
RB1108 p.171	RB1114 p.171	RB1110 p.171	RB1109 p.171					

workout



park

*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
3231	30	1730-1	46	WD1415	60	WD1470	70	0101-1C1	78	WD1466	92	1636	104
3240	30	1731	46	WD1580	60	WD1471	70	0108-2C2	79	WD1465	93	1631	104
3230	30	1740	46	WD1581	60	WD1472	70	0102C2	79	WD1487	93	1633	104
3227	30	1741	47	WD1418-1	60	WD1473	71	0107C3	79	WD1460	93	1634	104
3241	31	1745	47	WD1430	63	WD1474	71	0105C3	79	WD1459	93	1637	104
3245	31	1790	47	WD1431	63	WD1475	71	0109-1C9	79	WD1462	93	1639	105
3260	31	1736	49	WD1432	63	WD1476	71	0104C9	79	WD1461	94	1640	105
3427	32	1780	49	WD1550	63	WD1477	71	0110	81	WD1463	94	0608-2	106
3430	32	WD1534	50	WD1551	63	WD1478	71	0111	81	0411	96	0651	106
3431	32	WD1541	50	WD1552	63	WD1560	71	0112	81	0410	96	0652	106
3440	34	WD1542	50	0820	64	WD1561	71	0113	81	0409	96	0653	106
3441	34	3101	51	0825	64	WD1562	71	0114	81	0499	96	0654	106
3445	34	3102	51	0810	64	WD1563	71	0204C9	82	0404-1	96	0655	106
3460	35	3103	51	0811	64	WD1564	71	0814C9	82	0401	96	0602	106
3028-1	36	3104	51	0812	64	WD1565	71	0815-2C9	82	0402	96	0603	106
3040-1	36	WD1503	52	0813	64	0122	72	0201-1C9	82	0403	96	0604-1	106
3001-1	36	WD1403	52	0824	65	0120	72	0200C9	82	0405-1	96	0606	107
3002-1	36	WD1437	52	0840	65	0121	72	0212C1	83	0406	96	0623	107
3003-1	36	WD1401	52	0821	65	0806-1	72	0202-1C1	83	0407	96	0616	107
3004-1	36	WD1402	52	0822	65	0808-1	72	0203-1C1	83	0408	96	0609	107
3027-1	37	WD1407	52	0841	65	0804	72	0205-1C2	83	1750	97	0615-1	107
3030-1	37	WD1505	54	0830	66	0685	72	0213C2	83	1714	97	0607-1	107
3029-1	39	WD1501	54	0831	66	0809	72	0207C2	83	1716	97	0622	107
3041-1	39	WD1506	54	0832	66	1760	75	0208C3	83	0412	98	0633	107
3031-1	39	WD1434	55	WD1440	66	1761	75	0209C3	83	0413-1	98	0632	108
3045-1	39	WD1436	55	WD1441	66	1762	75	0206C3	83	0414-1	98	0631	108
3060-1	40	WD1504	55	WD1442	66	1763	75	0211-1C3	85	0419-1	99	0630	108
3080	41	WD1502	55	WD1443	66	1770	75	0214C3	85	0418-1	99	0600-1	109
1723	42	WD1408	56	WD1444	66	1771	75	0210-1C3	85	0417-1	99	0601-1	109
1702	42	WD1406	56	WD1445	66	1772	75	0305	86	0416-1	99	0613-1	109
1709	42	WD1404	56	WD1446	66	1720	75	0310	86	0420	101	0611-1	109
1701	43	WD1405	56	WD1447	66	1721	75	0306	86	0421	101	0626	109
1724	43	WD1438	56	WD1448	66	1722	75	0300S1	86	0415	101	0610	109
1726	43	WD1409	57	0801-1	68	WP2801	76	0303	86	1632	102	0660	109
1703	44	WD1410	57	0802-1	68	WP2804	76	0304	86	1638	102	0670	109
1704	44	WD1449	58	0800	68	WP2802	76	0300	86	1601	102	0671	109
1705	44	WD1412	58	WD1416	68	WP2805	76	0301S1	87	1602	102	0627	110
1706	45	WD1411	58	WD1482	68	WP2807	76	0301	87	1603	102	0612-1	111
1717	45	WD1454	58	WD1458	69	WP2808	76	0302	88	1604	102	0681	111
1707	45	WD1413	58	WD1429	69	WP2803	76	0302S1	88	1605	103	0617-1	111
1708	45	WD1450	58	WD1457-1	69	WP2806	76	0330	91	1606	103	0621-1	111
1710	45	WD1439	59	WD1455	69	0816	77	WD1420	92	1607	103	0619	111
1712	45	WD1452	59	WD1456	69	0817	77	WD1464	92	1608	103	0624	111
1711	45	WD1453	59	WD1427	70	0823	77	WD1428	92	1609	104	0625	111
1713	45	WD1451	59	WD1467	70	0106-1C1	78	WD1426	92	1635	104	ST0513	112
1727	46	WD1433	60	WD1468	70	0100C1	78	WD1417	92	1630	104	ST0522	112
1728	46	WD1414	60	WD1469	70	0103C1	78	WD1419	92	1610	104	ST0524	112

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
ST0525	112	0711	125	RB1271	139	RB1373	150	2224	162	RB1114	171	RB2329	179
WD1425	112	0714	125	RB1272	139	RB1375	150	1106	164	RB1110	171	RB2399	179
ST0500	112	RB1203	126	RB1278	139	RB1351	152	1101	164	RB1109	171	0913	180
ST0528	112	RB1334	126	RB1279	139	RB1352	152	1102	164	2324	172	0923	180
ST0529	113	RB1201	126	RB1274	139	RB1422	152	1103-1	164	2301	172	0924	180
ST0530	113	RB1202	126	RB1270	139	RB1491	152	1104-1	164	2302	172	0925	180
ST0531	113	RB1207	128	RB1273	139	RB1424	152	1105-1	164	2303	172	0926	180
ST0510	114	RB1205	128	RB1283	140	RB1421	152	1107-1	164	2304	172	0911	180
ST0511	114	RB1206	128	RB1284	140	RB1423	153	1108	164	2305	172	0912	180
ST0512	114	RB1211	130	RB1280	140	RB1492	153	1109	165	2306	172	0900-2	180
ST1421	115	RB1215	130	RB1383	141	RB1494	153	1110	165	2307	173	0902-2	180
ST1422	115	RB1216	131	RB1282	141	RB1497	153	1111-1	165	2308	173	0915	181
ST1491	115	RB1217	131	RB1285	141	RB0520	153	1112	167	2309	173	0914	181
ST1424	115	RB1305	132	RB1275	141	RB0517	153	1113	167	2310	173	0933	181
ST0520	115	RB1301	132	RB1277	141	RB0513	153	1114	167	2311	173	0934	181
ST1423	116	RB1302	132	RB1276	141	RB0510	154	1115	167	2312	173	0935	181
ST1492	116	RB1311	132	RB1310	141	RB0511	154	1116-1	167	2313	173	0905-1	181
ST1497	116	RB1231	133	RB1319	142	RB0512	154	1117	167	2314	173	0904	181
ST1494	116	RB1235	133	RB1281	142	RB0515	155	1139	168	2315	173	0936	181
WD0520	117	RB1232	133	RB1312	142	RB0521-1	155	1143	168	2323	173	0938	181
WD1421-1	117	RB1234	133	RB1291	144	RB1385	155	1145	168	2325	173	0940	181
WD1422-1	117	RB1233	133	RB1292	144	RB1386	155	1131	168	2326	174	0909	181
WD1491	117	RB1236	133	RB1293	144	RB1350	156	1138	168	2327	174	0910	181
WD1424-1	117	RB1237	133	RB1294	144	RB1349	156	1146	168	2328	174	WD1485	182
WD1423-1	118	RB1238	134	RB1295	144	RB1348	156	1151	168	2329	174	WD1484	182
WD1492	118	RB1241	136	RB1296	144	RB1399	156	1132	168	2399	174	WD1486	182
WD1494	118	RB1243	136	RB1297	144	RB1395	156	1140	168	RB2301	176	0920	182
WD1497	118	RB1244	136	RB1298	144	RB1392	156	1147	168	RB2302	176	0927	182
ST0515	120	RB1242	136	RB1299	144	RB1391	156	1152	168	RB2303	176	0928	182
ST0516	120	RB1245	136	RB1347	145	RB1268	157	1133	168	RB2304	176	0921-1	182
ST0517	120	RB1246	136	RB1332	145	RB1396	157	1141	168	RB2305	176	0922	182
ST0509	121	RB1251	137	RB1333	145	RB1398	157	1148	168	RB2306	176	WD1483	183
ST0518	121	RB1252	137	RB1331	145	RB1397	157	1153	168	RB2307	176	0906	183
ST0519	121	RB1253	137	RB1340	147	2002	160	1134	168	RB2308	176	0907	183
ST0521	121	RB1259	137	RB1341	147	2003	160	1142	168	RB2309	176	0908	183
0703-1	122	RB1254	137	RB1342	147	2022	160	1149	168	RB2310	176		
0726	122	RB1258	137	RB1344	147	2036	160	1154	168	RB2313	176		
0728	122	RB1255	137	RB1343	147	2200	160	1137	168	RB2311	176		
0708-1	123	RB1256	137	RB1346	147	2202	160	1144	168	RB2312	176		
0702-2	123	RB1257	137	RB1345	147	2222	162	1150	168	RB2314	177		
0705-2	123	RB1260	137	RB1361	148	2211	162	1156	168	RB2315	177		
0706-1	123	RB1264	138	RB1362	148	2212	162	RB1106	170	RB2323	177		
0710	124	RB1265	138	RB1363	148	2213	162	RB1113	170	RB2324	179		
0700-1	124	RB1266	138	RB1364	148	2214	162	RB1116	170	RB2325	179		
0701-1	124	RB1267	138	RB1369	148	2221	162	RB1117	171	RB2326	179		
0712	124	RB1263	138	RB1365	148	2220	162	RB1112	171	RB2328	179		
0713	124	RB1262	139	RB1372	150	2223	162	RB1108	171	RB2327	179		

LEGEND



Colour variants



Facilitated access for children with disabilities



Spinning elements



Reinforced belt fabric



Carousel platforms made of HPL



Polycarbonate (PC) panels



Steel construction and/or elements made of hot-dip galvanised and powder coated steel



HPL - the highest quality, water and UV resistant high pressure laminated panels



Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps



Polypropylene (PP) or Nylon combination ropes with steel core



Stainless steel (AISI 304 or 316)
- stainless steel structure
- stainless handrails and rods



Anchoring options:
- deep to the ground – 55 cm
- to concrete with plates – 5 cm
- to concrete with plates – 55 cm



Rubber / PP protective tops



HDPE - high density polyethylene panels



Stainless steel or PE tube slides



Climbing stones



Attested stainless steel chains



UV printed PC panels



Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm



Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated



Stainless steel or fiberglass slides with side panels made of HDPE or HPL



Tunnels made of durable, vandal-proof, double-layered material



Certified swing seats:
- Flat seats of rubber compound with aluminium insert
- Toddler seats for small children with soft gripping



Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant

*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.





**vinci
play**

9 Seminaryjna St.
99-400 Łowicz, Poland

e-mail: info@vinci-play.com
mob: +48 793 404 991 / +48 780 047 378
tel: +48 (42) 203 24 99 ext. 22 or 26
fax: +48 (22) 300 15 91

www.vinci-play.com

**vinci
play**





BRIDGESTONE

vinci
play

